



Version: 2 (12/07/2022)

# SAFETY DATA SHEET

In accordance with UN GHS latest edition

**Product:** Ocean Breeze LUX 0040

Version: 2

### Section 1. Identification of the substance or the mixture and of the supplier

#### 1.1 Product Identifier

Product identifier: Ocean Breeze LUX 0040(Contains:2-Methyl-3-(p-isopropylphenyl)propionaldehyde, Allyl

heptanoate, Linalool, alpha-Hexylcinnamaldehyde)

Other identifiers: None

# 1.2 Relevant identified uses of the substance of mixture and uses advised against

**Product uses:** Fragrances

### 1.3 Details of the supplier of the safety data sheet

Company name: Luxaroma Pty Ltd
Company address: 27 Union Circuit

Yatala QLD 4207 Australia

Contact: Regulatory Affairs

**E-Mail address:** info@luxaroma.com.au

Company phone: 1300 888 360 1.4 Emergency telephone number Emergency phone: 1300 888 360

### Section 2. Hazards identification

### 2.1 Classification of the substance or mixture

Class and category of Flammable Liquid, Hazard Category 4

danger: Acute Toxicity - Oral Category 5

Skin Corrosion / Irritation Category 2 Eye Damage / Irritation Category 2 Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Acute Hazard Category 1
Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H227, Combustible liquid.

H303, May be harmful if swallowed.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation. H400, Very toxic to aquatic life.

H411, Toxic to aquatic life with long lasting effects.

### 2.2 Label elements

Signal word: Warning

Page 2 (10)



Issue date: 24/10/2022

Version: 2 (12/07/2022)

# SAFETY DATA SHEET

In accordance with UN GHS latest edition

**Product:** Ocean Breeze LUX 0040

Version: 2

Hazard statements: H227, Combustible liquid.

H303, May be harmful if swallowed.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation. H400, Very toxic to aquatic life.

H411, Toxic to aquatic life with long lasting effects.

Precautionary statements:

P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P312, Call a POISON CENTRE or doctor/physician if you feel unwell. P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention. P362, Take off contaminated clothing and wash before reuse.

P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

P391, Collect spillage.

P403/235, Store in a well-ventilated place. Keep cool.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.



Pictograms:

2.3 Other hazards

Other hazards: None

### Section 3. Composition / information on ingredients

# 3.2 Mixtures

### Contains:

Name	CAS	%	GHS Classification
1,1-Dimethyl-2-phenylethyl acetate	151-05-3	10-<20%	Acute Tox. 5-Aquatic Acute 3;H303-H402





Version: 2 (12/07/2022)

# **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

**Product:** Ocean Breeze LUX 0040

Version: 2

183-NL (BHT) Butylated hydroxytoluene	128-37-0	10-<20%	Aquatic Acute 1-Aquatic Chronic 1;H410
beta-lonone	14901-07-6	5-<10%	Skin Irrit. 3-Aquatic Acute 2-Aquatic Chronic 2;H316- H411
Dihydromyrcenol	18479-58-8	5-<10%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A- Aquatic Acute 3;H227-H303-H315-H319-H402
Tricyclodecenyl acetate	5413-60-5	5-<10%	Acute Tox. 5-Skin Irrit. 3-Aquatic Acute 3;H303-H316-H402
alpha-Hexylcinnamaldehyde	101-86-0	5-<10%	Acute Tox. 5-Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2;H303-H316-H317-H400-H411
gamma-Undecalactone	104-67-6	5-<10%	Skin Irrit. 3-Aquatic Acute 3-Aquatic Chronic 3;H316- H412
2-tert-Butylcyclohexyl acetate	88-41-5	5-<10%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 3-Aquatic Acute 2- Aquatic Chronic 2;H227-H303-H316-H411
Ethyl 2-methyl-1,3-dioxolane-2-acetate	6413-10-1	5-<10%	Flam. Liq. 4-Skin Irrit. 3;H227-H316
2-Methyl-3-(p-isopropylphenyl) propionaldehyde	103-95-7	1-<5%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Skin Sens. 1B- Aquatic Acute 2-Aquatic Chronic 3;H227-H303-H315- H317-H401-H412
Allyl heptanoate	142-19-8	1-<5%	Flam. Liq. 4-Acute Tox. 3-Acute Tox. 3-Aquatic Acute 1-Aquatic Chronic 3;H227-H301-H311-H400-H412
alpha-Terpineol acetate	80-26-2	1-<5%	Skin Irrit. 3-Aquatic Acute 2;H316-H401
Linalool	78-70-6	1-<5%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3;H227-H303-H315-H317- H319-H402
Linalyl acetate	115-95-7	1-<5%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2B-Skin Sens. 1B- Aquatic Acute 3;H227-H315-H317-H320-H402
1,3,4,6,7,8-Hexahydro- 4,6,6,7,8,8- hexamethylcyclopenta-gamma- 2-benzopyran	1222-05-5	1-<5%	Skin Irrit. 3-Aquatic Acute 1-Aquatic Chronic 1;H316- H410
Benzyl alcohol	100-51-6	1-<5%	Acute Tox. 4-Acute Tox. 5-Eye Irrit. 2A;H302-H313-H319
d-Limonene	5989-27-5	1-<5%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315- H317-H410
Terpineol	8000-41-7	1-<5%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A- Aquatic Acute 3;H227-H303-H315-H319-H402
Benzyl benzoate	120-51-4	0.1-<1%	Acute Tox. 4-Acute Tox. 5-Aquatic Acute 1-Aquatic Chronic 2;H302-H313-H400-H411

# Substances with workplace exposure limits, not listed above:

Not Applicable

### Section 4. First-aid measures

# 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

**Eye exposure:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

**Skin exposure:** IF ON SKIN: Wash with plenty of soap and water.

**Ingestion:** Rinse mouth with water and obtain medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

May be harmful if swallowed.



**LUXAROMA** 

Issue date: 24/10/2022

Version: 2 (12/07/2022)

# SAFETY DATA SHEET

In accordance with UN GHS latest edition

**Product:** Ocean Breeze LUX 0040

Version: 2

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

#### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

#### **Section 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

### Section 6. Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

#### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

## 6.4 Reference to other sections:

Also refer to sections 8 and 13.

### Section 7. Handling and storage

#### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

## 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.





Version: 2 (12/07/2022)

# **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

**Product:** Ocean Breeze LUX 0040

Version: 2

### Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

**8.2 Exposure Controls** 

**Eye / Skin Protection** 

Wear protective gloves/eye protection/face protection

#### **Respiratory Protection**

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

### Section 9. Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

Appearance: Clear Yellow
Odour: Not determined
Odour threshold: Not determined
pH: Not determined
Melting point / freezing point: Not determined
Initial boiling point / range: Not determined

Flash point: > 90 °C

Evaporation rate: Not determined Flammability (solid, gas): Not determined

Upper/lower flammability or explosive limits: Product does not present an explosion hazard

Not determined Vapour pressure: Vapour density: Not determined Not determined Relative density: Solubility(ies): Not determined Partition coefficient: n-octanol/water: Not determined **Auto-ignition temperature:** Not determined **Decomposition temperature:** Not determined Viscosity: Not determined **Explosive properties:** Not expected **Oxidising properties:** Not expected



**LUXAROMA** 

Issue date: 24/10/2022

Version: 2 (12/07/2022)

# SAFETY DATA SHEET

In accordance with UN GHS latest edition

**Product:** Ocean Breeze LUX 0040

Version: 2

**9.2 Other information:**None available

# Section 10. Stability and reactivity

### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

### 10.2 Chemical stability:

Good stability under normal storage conditions.

# 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

#### 10.4 Conditions to avoid:

Avoid extreme heat.

## 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

### 10.6 Hazardous decomposition products:

Not expected.

# Section 11. Toxicological information

#### 11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

Acute Toxicity: Acute Toxicity - Oral Category 5

Acute Toxicity Oral 2787
Acute Toxicity Dermal >5000

Acute Toxicity Inhalation Not Available

Skin corrosion/irritation:Skin Corrosion / Irritation Category 2Serious eye damage/irritation:Eye Damage / Irritation Category 2Respiratory or skin sensitisation:Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Carcinogenicity:

Based on available data the classification criteria are not met.

Reproductive toxicity:

Based on available data the classification criteria are not met.

STOT-single exposure:

Based on available data the classification criteria are not met.

STOT-repeated exposure:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

### Information about hazardous ingredients in the mixture

Ingredient CAS LD50/ATE Ora	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
-----------------------------	--------------------	---------------------	------------



Version: 2 (12/07/2022)

# **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

**Product:** Ocean Breeze LUX 0040

Version: 2

1,1-Dimethyl-2- phenylethyl acetate	151-05-3	3300	Not available	Not available	Not available
2-Methyl-3-(p- isopropylphenyl) propionaldehyde	103-95-7	3810	Not available	Not available	Not available
2-tert-Butylcyclohexyl acetate	88-41-5	4600	Not available	Not available	Not available
Allyl heptanoate	142-19-8	218	810	Not available	Vapour
Benzyl alcohol	100-51-6	1620	2500	Not available	Not available
Dihydromyrcenol	18479-58-8	3600	Not available	Not available	Not available
Linalool	78-70-6	2790	Not available	Not available	Not available
Terpineol	8000-41-7	4300	Not available	Not available	Not available
Tricyclodecenyl acetate	5413-60-5	3050	Not available	Not available	Not available
alpha- Hexylcinnamaldehyde	101-86-0	3100	Not available	Not available	Not available

Refer to Sections 2 and 3 for additional information.

# **Section 12. Ecological information**

# 12.1 Toxicity:

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability:Not available12.3 Bioaccumulative potential:Not available12.4 Mobility in soil:Not available12.5 Other adverse effects:Not available

# Section 13. Disposal considerations

### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

# **Section 14. Transport information**

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class(es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (183-NL (BHT) Butylated hydroxytoluene,	9	-	III

Page 8 (10)



Issue date: 24/10/2022

Version: 2 (12/07/2022)

# **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

**Product:** Ocean Breeze LUX 0040

Version: 2

	1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8- hexamethylcyclopenta-gamma-2- benzopyran)	
2	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (183-NL	9

IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (183-NL (BHT) Butylated hydroxytoluene, 1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8- hexamethylcyclopenta-gamma-2- benzopyran) MARINE POLLUTANT	9	-	III
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (183-NL (BHT) Butylated hydroxytoluene, 1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8- hexamethylcyclopenta-gamma-2- benzopyran)	9	-	III
ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (183-NL (BHT) Butylated hydroxytoluene, 1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8- hexamethylcyclopenta-gamma-2- benzopyran)	9	-	III

**14.5 Environmental hazards:** This is classified as an environmentally hazardous substance under the UN

Model Regulations. This is classified as a Marine Pollutant under the IMDG

Code.

**14.6 Special precautions for user:** None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information

None additional

**Section 16. Other information** 

Concentration % Limits: EH A1=93.56% EH A2=8.60% EH A3=0.84807859% EH C2=15.58% EH

C3=1.54% EH C4=47.63% SCI 2=50.68% SCI 3=4.05% EDI 2A=66.76%

SS 1=12.84%

**Total Fractional Values:** EH A1=1.07 EH A2=11.63 EH A3=117.91 EH C2=6.42 EH C3=64.83 EH

C4=2.10 SCI 2=1.97 SCI 3=24.66 EDI 2A=1.50 SS 1=7.79

Key to revisions:

14.2. UN proper shipping name GHS Workplace Exposure Limits

Hazardous Ingredients declard in a GHS Product Identifier Information about hazardous ingredients in the mixture SECTION 3: Composition/information on ingredients





Version: 2 (12/07/2022)

# **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

**Product:** Ocean Breeze LUX 0040

Version: 2

# Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 3	Acute Toxicity - Oral Category 3
Acute Tox. 3	Acute Toxicity - Dermal Category 3
Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 5	Acute Toxicity - Oral Category 5
Acute Tox. 5	Acute Toxicity - Dermal Category 5
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Asp. Tox 1	Aspiration Hazard Category 1
Eye Irrit. 2A	Eye Damage / Irritation Category 2A
Eye Irrit. 2B	Eye Damage / Irritation Category 2B
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
Flam. Liq. 4	Flammable Liquid, Hazard Category 4
H226	Flammable liquid and vapour.
H227	Combustible liquid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H320	Causes eye irritation.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.



**LUXAROMA** 

Issue date: 24/10/2022

Page 10 (10)

Version: 2 (12/07/2022)

# **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

**Product:** Ocean Breeze LUX 0040

Version: 2

P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P361	Remove/Take off immediately all contaminated clothing.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Irrit. 3	Skin Corrosion / Irritation Category 3
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.