

In accordance with UN GHS latest edition

Product: Fig LUX 0643

Version: 2

#### Section 1. Identification of the substance or the mixture and of the supplier

- **1.1 Product Identifier**
- Product identifier: Fig LUX 0643(Contains:1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl) ethanone, 2-Methyl-3-(p-isopropylphenyl)propionaldehyde, Benzyl benzoate, Phenethyl alcohol)
- Other identifiers: None

#### 1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

#### 1.3 Details of the supplier of the safety data sheet

Luxaroma Pty Ltd
27 Union Circuit Yatala QLD 4207 Australia
Regulatory Affairs
info@luxaroma.com.au
1300 888 360
one number
1300 888 360

#### Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

Class and category of danger:	Flammable Liquid, Hazard Category 4 Acute Toxicity - Oral Category 5 Skin Corrosion / Irritation Category 2 Sensitization - Skin Category 1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 H227, Combustible liquid. H303, May be harmful if swallowed. H315, Causes skin irritation. H317, May cause an allergic skin reaction. H410, Very toxic to aquatic life with long lasting effects.
2.2 Label elements	
Signal word:	Warning
Hazard statements:	H227, Combustible liquid. H303, May be harmful if swallowed. H315, Causes skin irritation.



In accordance with UN GHS latest edition

Product:	Fig LUX 0643
Version:	2
	H317, May cause an allergic skin reaction. H410, Very toxic to aquatic life with long lasting effects.
Precautionary statements:	<ul> <li>P210, Keep away from heat, sparks, open flames and hot surfaces No smoking.</li> <li>P261, Avoid breathing vapour or dust.</li> <li>P264, Wash hands and other contacted skin thoroughly after handling.</li> <li>P272, Contaminated work clothing should not be allowed out of the workplace.</li> <li>P273, Avoid release to the environment.</li> <li>P280, Wear protective gloves/eye protection/face protection.</li> <li>P302/352, IF ON SKIN: Wash with plenty of soap and water.</li> <li>P312, Call a POISON CENTRE or doctor/physician if you feel unwell.</li> <li>P333/313, If skin irritation or rash occurs: Get medical advice/attention.</li> <li>P362, Take off contaminated clothing and wash before reuse.</li> <li>P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.</li> <li>P391, Collect spillage.</li> <li>P403/235, Store in a well-ventilated place. Keep cool.</li> <li>P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.</li> </ul>
Pictograms:	
2.3 Other haza	ards

#### Section 3. Composition / information on ingredients

#### 3.2 Mixtures

Other hazards:

None

#### **Contains:**

Name	CAS	%	GHS Classification
Benzyl benzoate	120-51-4	20-<50%	Acute Tox. 4-Acute Tox. 5-Aquatic Acute 1-Aquatic Chronic 2;H302-H313-H400-H411
1-(1,2,3,4,5,6,7,8-Octahydro- 2,3,8,8-tetramethyl-2- naphthalenyl)ethanone	54464-57-2	20-<50%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 1;H315-H317-H401-H410
Phenethyl alcohol	60-12-8	5-<10%	Acute Tox. 4-Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2A; H302-H313-H316-H319
gamma-Octalactone	104-50-7	1-<5%	Acute Tox. 5;H303
2-Methyl-3-(p-isopropylphenyl) propionaldehyde	103-95-7	1-<5%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Skin Sens. 1B- Aquatic Acute 2-Aquatic Chronic 3;H227-H303-H315- H317-H401-H412
Isoamyl salicylate	87-20-7	1-<5%	Acute Tox. 4-Aquatic Acute 2-Aquatic Chronic 2;H302- H411

# LUXAROMA

## SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Fig LUX 0643

#### Version: 2

alpha-Methylbenzyl acetate	93-92-5	1-<5%	Flam. Liq. 4-Aquatic Acute 3;H227-H402
5-Methyl-3-heptanone oxime	22457-23-4	1-<5%	Acute Tox. 5-Skin Irrit. 3-Aquatic Acute 3-Aquatic Chronic 3;H303-H316-H412
Benzyl acetate	140-11-4	1-<5%	Acute Tox. 5-Aquatic Acute 2-Aquatic Chronic 3;H303- H401-H412
2,4-Dimethyl-3-cyclohexen-1- carboxaldehyde	68039-49-6	0.1-<1%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H227- H303-H315-H317-H319-H411
241-NL Coumarin	91-64-5	0.1-<1%	Acute Tox. 4-Skin Sens. 1B-Aquatic Acute 3;H302- H317-H402
Eugenol	97-53-0	0.1-<1%	Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2A-Skin Sens. 1B- Aquatic Acute 2;H303-H316-H317-H319-H401
Benzyl salicylate	118-58-1	0.1-<1%	Acute Tox. 5-Eye Irrit. 2B-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 3;H303-H317-H320-H401-H412

#### Substances with workplace exposure limits, not listed above:

Not Applicable

#### Section 4. First-aid measures

#### 4.1 Description of first aid measures

- Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.
- **Eye exposure:** Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
- Skin exposure: IF ON SKIN: Wash with plenty of soap and water.

**Ingestion:** Rinse mouth with water and obtain medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

May be harmful if swallowed.

Causes skin irritation.

May cause an allergic skin reaction.

## 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

#### Section 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

#### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

#### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.



In accordance with UN GHS latest edition

Product: Fig LUX 0643

Version: 2

#### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

#### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

#### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

#### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

#### Section 7. Handling and storage

#### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

#### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

#### Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

**8.2 Exposure Controls** 

#### Eye / Skin Protection

Wear protective gloves/eye protection/face protection

#### **Respiratory Protection**

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Luxaroma Pty Ltd, 27 Union Circuit, Yatala, QLD 4207, Australia



Page 5 (9) Issue date: 08/09/2022 Version: 2 (08/09/2022)

### SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Fig LUX 0643

Version: 2

#### Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance:	Clear Yellow
Odour:	Not determined
Odour threshold:	Not determined
pH:	Not determined
Melting point / freezing point:	Not determined
Initial boiling point / range:	Not determined
Flash point:	> 85 °C
Evaporation rate:	Not determined
Flammability (solid, gas):	Not determined
Upper/lower flammability or explosive limits:	Product does not present an explosion hazard
Vapour pressure:	Not determined
Vapour density:	Not determined
Relative density:	Not determined
Solubility(ies):	Not determined
Partition coefficient: n-octanol/water:	Not determined
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Viscosity:	Not determined
Explosive properties:	Not expected
Oxidising properties:	Not expected
9.2 Other information:	None available

#### Section 10. Stability and reactivity

#### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

#### 10.2 Chemical stability:

Good stability under normal storage conditions.

#### 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

#### **10.4 Conditions to avoid:**

Avoid extreme heat.

#### 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.



In accordance with UN GHS latest edition

Product: Fig LUX 0643

Version: 2

#### 10.6 Hazardous decomposition products:

Not expected.

#### Section 11. Toxicological information

#### 11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

Acute Toxicity:	Acute Toxicity - Oral Category 5
Acute Toxicity Oral	2966
Acute Toxicity Dermal	>5000
Acute Toxicity Inhalation	Not Available
Skin corrosion/irritation:	Skin Corrosion / Irritation Category 2
Serious eye damage/irritation:	Based on available data the classification criteria are not met.
Respiratory or skin sensitisation:	Sensitization - Skin Category 1
Germ cell mutagenicity:	Based on available data the classification criteria are not met.
Carcinogenicity:	Based on available data the classification criteria are not met.
Reproductive toxicity:	Based on available data the classification criteria are not met.
STOT-single exposure:	Based on available data the classification criteria are not met.
STOT-repeated exposure:	Based on available data the classification criteria are not met.
Aspiration hazard:	Based on available data the classification criteria are not met.

#### Information about hazardous ingredients in the mixture

Ingredient	CAS	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
2-Methyl-3-(p- isopropylphenyl) propionaldehyde	103-95-7	3810	Not available	Not available	Not available
5-Methyl-3-heptanone oxime	22457-23-4	3500	Not available	Not available	Not available
Benzyl acetate	140-11-4	2490	Not available	Not available	Not available
Benzyl benzoate	120-51-4	1500	4000	Not available	Not available
Isoamyl salicylate	87-20-7	1406	Not available	Not available	Not available
Phenethyl alcohol	60-12-8	1610	2500	Not available	Not available
gamma-Octalactone	104-50-7	4400	Not available	Not available	Not available

Refer to Sections 2 and 3 for additional information.

#### Section 12. Ecological information

#### 12.1 Toxicity:

Very toxic to aquatic life with long lasting effects.



Page 7 (9) Issue date: 08/09/2022 Version: 2 (08/09/2022)

## SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Fig LUX 0643

Version: 2

12.2 Persistence and degradability:Not available12.3 Bioaccumulative potential:Not available12.4 Mobility in soil:Not available

12.5 Other adverse effects: Not available

#### Section 13. Disposal considerations

#### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class(es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1- (1,2,3,4,5,6,7,8-Octahydro-2,3,8,8- tetramethyl-2-naphthalenyl)ethanone, Benzyl benzoate)	9	-	III
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1- (1,2,3,4,5,6,7,8-Octahydro-2,3,8,8- tetramethyl-2-naphthalenyl)ethanone, Benzyl benzoate) MARINE POLLUTANT	9	-	III
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1- (1,2,3,4,5,6,7,8-Octahydro-2,3,8,8- tetramethyl-2-naphthalenyl)ethanone, Benzyl benzoate)	9	-	111
ΙCAO ΤΙ	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1- (1,2,3,4,5,6,7,8-Octahydro-2,3,8,8- tetramethyl-2-naphthalenyl)ethanone, Benzyl benzoate)	9	-	III

#### Section 14. Transport information

14.5 Environmental hazards:

This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code.

14.6 Special precautions for user:

None additional

**14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable



In accordance with UN GHS latest edition

Product:	Fig LUX 0643	
Version:	2	
		Section 15. Regulatory information
None addition	nal	
		Section 16. Other information
Concentratio	on % Limits:	EH A1=65.46% EH A2=5.89% EH A3=0.58896006% EH C1=72.46% EH C2=6.49% EH C3=0.64799071% EH C4=30.51% SCI 2=25.64% SCI 3=2. 46% SS 1=2.90%
Total Fractio	onal Values:	EH A1=1.53 EH A2=16.97 EH A3=169.79 EH C1=1.38 EH C2=15.40 EH C3=154.32 EH C4=3.28 SCI 2=3.90 SCI 3=40.65 SS 1=34.50
Key to revis	ions:	

Key to revisions:

GHS Workplace Exposure Limits Hazardous Ingredients declard in a GHS Product Identifier Information about hazardous ingredients in the mixture SECTION 3: Composition/information on ingredients

#### Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 5	Acute Toxicity - Dermal Category 5
Acute Tox. 5	Acute Toxicity - Oral Category 5
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Eye Irrit. 2A	Eye Damage / Irritation Category 2A
Eye Irrit. 2B	Eye Damage / Irritation Category 2B
Flam. Liq. 4	Flammable Liquid, Hazard Category 4
H227	Combustible liquid.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H320	Causes eye irritation.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life.
H402	Harmful to aquatic life.



Page 9 (9) Issue date: 08/09/2022 Version: 2 (08/09/2022)

## SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Fig LUX 0643

2

#### Version:

H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Irrit. 3	Skin Corrosion / Irritation Category 3
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.