

LUXAROMA

Issue date: 01/11/2022

Version: 2 (01/11/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Peppermint & Eucalyptus LUX 0037

Version: 2

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: Peppermint & Eucalyptus LUX 0037(Contains:594-NL Thymol, Benzyl benzoate,

Cinnamaldehyde, I-Menthone)

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: Luxaroma Pty Ltd Company address: 27 Union Circuit

> Yatala QLD 4207 Australia

Contact: Regulatory Affairs

E-Mail address: info@luxaroma.com.au

1300 888 360 Company phone: 1.4 Emergency telephone number 1300 888 360 **Emergency phone:**

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Class and category of Flammable Liquid, Hazard Category 4 danger:

Acute Toxicity - Oral Category 5

Skin Corrosion / Irritation Category 2 Eye Damage / Irritation Category 1 Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Acute Hazard Category 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H227, Combustible liquid.

H303, May be harmful if swallowed.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction. H318, Causes serious eye damage. H400, Very toxic to aquatic life.

H411, Toxic to aquatic life with long lasting effects.

2.2 Label elements

Signal word: Danger



LUXAROMA

Issue date: 01/11/2022 Version: 2 (01/11/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Peppermint & Eucalyptus LUX 0037

Version: 2

Hazard statements: H227, Combustible liquid.

H303, May be harmful if swallowed.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H318, Causes serious eye damage. H400, Very toxic to aquatic life.

H411, Toxic to aquatic life with long lasting effects.

Precautionary statements:

P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310, Immediately call a POISON CENTER or doctor/physician.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P362, Take off contaminated clothing and wash before reuse.

P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

P391, Collect spillage.

P403/235, Store in a well-ventilated place. Keep cool.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.



Pictograms:

2.3 Other hazards

Other hazards: None

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	%	GHS Classification
Benzyl benzoate	120-51-4		Acute Tox. 4-Acute Tox. 5-Aquatic Acute 1-Aquatic Chronic 2;H302-H313-H400-H411
456-NL Menthol	89-78-1		Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2B- Aquatic Acute 3;H227-H303-H315-H320-H402

Luxaroma Pty Ltd, 27 Union Circuit, Yatala, QLD 4207, Australia



Page 3 (11)
Issue date: 01/11/2022

Version: 2 (01/11/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Peppermint & Eucalyptus LUX 0037

Version: 2

I Monthone	14072 07 2	10 <200/	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Skin Sens. 1B-	
I-Menthone	14073-97-3	10-<20%	Aquatic Acute 3;H227-H303-H315-H317-H402 Acute Tox. 4-Skin Corr. 1B-Eye Dam. 1-Aquatic Acute	
594-NL Thymol	89-83-8	1-<5%	2-Aquatic Chronic 2;H302-H314-H411	
Linalyl acetate	115-95-7	1-<5%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2B-Skin Sens. 1B- Aquatic Acute 3;H227-H315-H317-H320-H402	
Terpineol	8000-41-7	1-<5%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A- Aquatic Acute 3;H227-H303-H315-H319-H402	
Linalool	78-70-6	1-<5%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3;H227-H303-H315-H317- H319-H402	
Patchouli alcohol	5986-55-0	1-<5%	Aquatic Acute 2-Aquatic Chronic 2;H411	
l-Menthyl acetate (1alpha,2beta, 5alpha)	2623-23-6	1-<5%	Flam. Liq. 4-Aquatic Acute 2-Aquatic Chronic 2;H227- H411	
d-Limonene	5989-27-5	1-<5%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315- H317-H410	
602-NL Vanillin	121-33-5	1-<5%	Acute Tox. 5-Eye Irrit. 2A-Aquatic Acute 3;H303-H319-H402	
Isobornyl acetate	125-12-2	1-<5%	Flam. Liq. 4-Skin Irrit. 3-Aquatic Acute 2;H227-H316- H401	
I-Menthol	2216-51-5	1-<5%	Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2B-Aquatic Acute 3; H303-H315-H320-H402	
alpha-Guaiene	3691-12-1	1-<5%	Skin Irrit. 2-Eye Irrit. 2A-Asp. Tox 1;H304-H315-H319	
1,3,4,6,7,8-Hexahydro- 4,6,6,7,8,8- hexamethylcyclopenta-gamma- 2-benzopyran	1222-05-5	1-<5%	Skin Irrit. 3-Aquatic Acute 1-Aquatic Chronic 1;H316- H410	
alpha-Cedrene	469-61-4	0.1-<1%	Skin Irrit. 3-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H304-H316-H410	
Reaction mass of (1S,3aR,4S,8aS)-4,8,8-trimethyl-9-methylidenedecahydro-1,4-methanoazulene and (1R,4E,9S)-4,11,11-trimethyl-8-methylidenebicyclo[7.2.0]undec-4-ene	475-20-7, 87-44-5	0.1-<1%	Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H304-H315-H317-H410	
beta-Caryophyllene	87-44-5	0.1-<1%	Skin Sens. 1B-Asp. Tox 1-Aquatic Chronic 4;H304- H317-H413	
Ethyl isovalerate	108-64-5	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Aquatic Acute 2;H226-H315- H401	
Cinnamaldehyde	104-55-2	0.1-<1%	Acute Tox. 5-Acute Tox. 4-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1A-Aquatic Acute 2;H303-H312-H315-H317-H319-H401	
Tetrahydro-4-methyl-2-(2-methylpropen-1-yl)pyran	16409-43-1	0.1-<1%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Repr. 2-Aquatic Acute 3;H227-H303-H315-H319-H361-H402	
197-NL Camphor Powder	464-49-3	0.1-<1%	Flam. Liq. 4-Flam. Sol. 2-Acute Tox. 4-Acute Tox. 4-Skin Irrit. 2-Eye Dam. 1-STOT SE 2-Aquatic Acute 2-Aquatic Chronic 2;H227-H228-H302-H315-H318-H332-H371-H411	
p-Mentha-1,4-diene	99-85-4	0.1-<1%	Flam. Liq. 3-Acute Tox. 5-Skin Irrit. 3-Repr. 2-Asp. Tox 1;H226-H303-H304-H316-H361	
beta-Cedrene	546-28-1	0.1-<1%	Skin Irrit. 3-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H304-H316-H410	
241-NL Coumarin	91-64-5	0.1-<1%	Acute Tox. 4-Skin Sens. 1B-Aquatic Acute 3;H302- H317-H402	
586-NL Terpinolene	586-62-9	0.1-<1%	Flam. Liq. 3-Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Skin Irrit. 3-Skin Sens. 1-Skin Sens. 1B-Repr. 2-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226-H227-H303-H304-H315-H316-H317-H361-H410	
alpha-Terpineol	98-55-5	0.1-<1%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A- Aquatic Acute 2;H227-H303-H315-H319-H401	



LUXAROMA

Issue date: 01/11/2022

Version: 2 (01/11/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Peppermint & Eucalyptus LUX 0037

Version: 2

Eucalyptol	470-82-6	() 1 -< 1%	Flam. Liq. 3-Acute Tox. 5-Skin Irrit. 3-Skin Sens. 1B; H226-H303-H316-H317
Eugenol	97-53-0	11 1-< 1%	Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2A-Skin Sens. 1B- Aquatic Acute 2;H303-H316-H317-H319-H401

Substances with workplace exposure limits, not listed above:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water.

Ingestion: Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

May be harmful if swallowed.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.





Version: 2 (01/11/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Peppermint & Eucalyptus LUX 0037

Version: 2

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Clear Yellow
Odour: Not determined
Odour threshold: Not determined





Version: 2 (01/11/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Peppermint & Eucalyptus LUX 0037

Version: 2

pH: Not determinedMelting point / freezing point: Not determinedInitial boiling point / range: Not determined

Flash point: > 80 °C

Evaporation rate: Not determined **Flammability (solid, gas):** Not determined

Upper/lower flammability or explosive limits: Product does not present an explosion hazard

Vapour pressure: Not determined Vapour density: Not determined Relative density: Not determined Solubility(ies): Not determined Partition coefficient: n-octanol/water: Not determined Not determined **Auto-ignition temperature:** Not determined **Decomposition temperature: Viscosity:** Not determined **Explosive properties:** Not expected Oxidising properties: Not expected

9.2 Other information:None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.





Version: 2 (01/11/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Peppermint & Eucalyptus LUX 0037

Version: 2

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

Acute Toxicity: Acute Toxicity - Oral Category 5

2419 Acute Toxicity Oral **Acute Toxicity Dermal** >5000

Acute Toxicity Inhalation Not Available

Skin corrosion/irritation: Skin Corrosion / Irritation Category 2 Serious eye damage/irritation: Eye Damage / Irritation Category 1 Respiratory or skin sensitisation: Sensitization - Skin Category 1

Based on available data the classification criteria are not met. Germ cell mutagenicity: Carcinogenicity: Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Reproductive toxicity: Based on available data the classification criteria are not met. STOT-single exposure: Based on available data the classification criteria are not met. STOT-repeated exposure: **Aspiration hazard:** Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

Ingredient	CAS	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
456-NL Menthol	89-78-1	2600	Not available	Not available	Not available
594-NL Thymol	89-83-8	980	Not available	Not available	Not available
602-NL Vanillin	121-33-5	3500	Not available	Not available	Not available
Benzyl benzoate	120-51-4	1500	4000	Not available	Not available
Linalool	78-70-6	2790	Not available	Not available	Not available
Terpineol	8000-41-7	4300	Not available	Not available	Not available
I-Menthol	2216-51-5	2600	Not available	Not available	Not available
I-Menthone	14073-97-3	2500	Not available	Not available	Not available

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available 12.3 Bioaccumulative potential: Not available 12.4 Mobility in soil: Not available

12.5 Other adverse effects: Not available





Version: 2 (01/11/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Peppermint & Eucalyptus LUX 0037

Version: 2

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class(es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Cedrene, Benzyl benzoate)	9	-	III
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Cedrene, Benzyl benzoate) MARINE POLLUTANT	9	-	III
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Cedrene, Benzyl benzoate)	9	-	III
ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Cedrene, Benzyl benzoate)	9	-	III

14.5 Environmental hazards: This is classified as an environmentally hazardous substance under the UN

Model Regulations. This is classified as a Marine Pollutant under the IMDG

Code.

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information

None additional

Section 16. Other information

Concentration % Limits: EH A1=48.62% EH A2=4.78% EH A3=0.47420731% EH C2=13.54% EH

C3=1.35% EH C4=42.10% SCI 2=13.51% SCI 3=1.31% EDI 1=84.75%

EDI 2A=15.56% EDI 2B=53.92% SS 1=8.42%

Total Fractional Values: EH A1=2.06 EH A2=20.94 EH A3=210.88 EH C2=7.38 EH C3=73.84 EH

C4=2.38 SCI 2=7.40 SCI 3=76.24 EDI 1=1.18 EDI 2A=6.43 EDI 2B=1.85

SS 1=11.87

Key to revisions:



Issue date: 01/11/2022 Version: 2 (01/11/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Peppermint & Eucalyptus LUX 0037

Version: 2

GHS Workplace Exposure Limits
Hazardous Ingredients declard in a GHS Product Identifier
Information about hazardous ingredients in the mixture
SECTION 3: Composition/information on ingredients
Total Fractional Values

Key to abbreviations:

Abbreviation	Meaning		
Acute Tox. 4	Acute Toxicity - Oral Category 4		
Acute Tox. 4	Acute Toxicity - Dermal Category 4		
Acute Tox. 4	Acute Toxicity - Inhalation Category 4		
Acute Tox. 5	Acute Toxicity - Dermal Category 5		
Acute Tox. 5	Acute Toxicity - Oral Category 5		
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1		
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2		
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3		
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1		
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2		
Aquatic Chronic 4	Hazardous to the Aquatic Environment - Long-term Hazard Category 4		
Asp. Tox 1	Aspiration Hazard Category 1		
Eye Dam. 1	Eye Damage / Irritation Category 1		
Eye Irrit. 2A	Eye Damage / Irritation Category 2A		
Eye Irrit. 2B	Eye Damage / Irritation Category 2B		
Flam. Liq. 3	Flammable Liquid, Hazard Category 3		
Flam. Liq. 4	Flammable Liquid, Hazard Category 4		
Flam. Sol. 2	Flammable Solid, Hazard Category 2		
H226	Flammable liquid and vapour.		
H227	Combustible liquid.		
H228	Flammable solid.		
H302	Harmful if swallowed.		
H303	May be harmful if swallowed.		
H304	May be fatal if swallowed and enters airways.		
H312	Harmful in contact with skin.		
H313	May be harmful in contact with skin.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H316	Causes mild skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H320	Causes eye irritation.		
H332	Harmful if inhaled.		



Version: 2 (01/11/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Peppermint & Eucalyptus LUX 0037

Version: 2

H361	Suspected of damaging fertility or the unborn child (exposure route).
H371	May cause damage to organs (organs, exposure route).
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe vapour or dust.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P301/330/331	If swallowed: Rinse mouth. Do not induce vomiting.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308/313	IF exposed or concerned: Get medical advice/attention.
P309/311	IF exposed or if you feel unwell: Call a POISON CENTRE or doctor/physician.
P310	Immediately call a POISON CENTER or doctor/physician.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.



Page 11 (11)

Issue date: 01/11/2022 Version: 2 (01/11/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Peppermint & Eucalyptus LUX 0037

Version: 2

P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
Repr. 2	Toxic to Reproduction Category 2
STOT SE 2	Specific Target Organ Toxicity (Single Exposure) Category 2
Skin Corr. 1B	Skin Corrosion / Irritation Category 1B
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Irrit. 3	Skin Corrosion / Irritation Category 3
Skin Sens. 1	Sensitization - Skin Category 1
Skin Sens. 1A	Sensitization - Skin Category 1A
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.