

Issue date: 13/10/2022 Version: 3 (13/10/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Monkey Farts LUX 0084

Version: 3

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: Monkey Farts LUX 0084(Contains:3 and 4-(4-Hydroxy-4-methylpentyl)-3-cyclohexene-1-

carboxaldehyde, Benzyl benzoate, Linalool, d-Limonene)

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: Luxaroma Pty Ltd
Company address: 27 Union Circuit

Yatala QLD 4207 Australia

Contact: Regulatory Affairs

E-Mail address: info@luxaroma.com.au

Company phone: 1300 888 360

1.4 Emergency telephone number

Emergency phone: 1300 888 360

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Class and category of Flammable Liquid, Hazard Category 3

danger: Acute Toxicity - Oral Category 5

Skin Corrosion / Irritation Category 2 Eye Damage / Irritation Category 2 Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Acute Hazard Category 1
Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H226, Flammable liquid and vapour. H303, May be harmful if swallowed.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation. H400, Very toxic to aquatic life.

H411, Toxic to aquatic life with long lasting effects.

2.2 Label elements

Signal word: Warning



Issue date: 13/10/2022

Version: 3 (13/10/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Monkey Farts LUX 0084

Version: 3

Hazard statements: H226, Flammable liquid and vapour.

H303, May be harmful if swallowed.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation. H400, Very toxic to aquatic life.

H411, Toxic to aquatic life with long lasting effects.

Precautionary statements:

P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

P233, Keep container tightly closed.

P240, Ground/bond container and receiving equipment.

P241, Use explosion-proof electrical, ventilating and lighting equipment.

P242, Use only non-sparking tools.

P243, Take precautionary measures against static discharge.

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection.

P303/361/353, IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing.

Rinse skin with water/shower.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P312, Call a POISON CENTRE or doctor/physician if you feel unwell.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention.

P362, Take off contaminated clothing and wash before reuse.

P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

P391, Collect spillage.

P403/235, Store in a well-ventilated place. Keep cool.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.

Pictograms:



2.3 Other hazards

Other hazards: None



Page 3 (11)
Issue date: 13/10/2022

Version: 3 (13/10/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Monkey Farts LUX 0084

Version: 3

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

| Name | CAS | % | GHS Classification | | |
|---|------------|---------|---|--|--|
| Benzyl benzoate | 120-51-4 | 20-<50% | Acute Tox. 4-Acute Tox. 5-Aquatic Acute 1-Aquatic Chronic 2;H302-H313-H400-H411 | | |
| Isoamyl acetate | 123-92-2 | 5-<10% | Flam. Liq. 3-Aquatic Acute 3;H226-H402 | | |
| d-Limonene | 5989-27-5 | 1-<5% | Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315- H317-H410 | | |
| Isoamyl butyrate | 106-27-4 | 1-<5% | Flam. Liq. 3-Aquatic Acute 2;H226-H401 | | |
| Linalool | 78-70-6 | 1-<5% | Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3;H227-H303-H315-H317-H319-H402 | | |
| Benzyl alcohol | 100-51-6 | 1-<5% | Acute Tox. 4-Acute Tox. 5-Eye Irrit. 2A;H302-H313-H319 | | |
| Benzyl salicylate | 118-58-1 | 1-<5% | Acute Tox. 5-Eye Irrit. 2B-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 3;H303-H317-H320-H401-H412 | | |
| Benzyl acetate | 140-11-4 | 1-<5% | Acute Tox. 5-Aquatic Acute 2-Aquatic Chronic 3;H303-H401-H412 | | |
| Benzyl propionate | 122-63-4 | 1-<5% | Acute Tox. 5-Aquatic Acute 2;H303-H401 | | |
| Dihydromyrcenol | 18479-58-8 | 1-<5% | Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A- Aquatic Acute 3;H227-H303-H315-H319-H402 | | |
| 1,3,4,6,7,8-Hexahydro- 4,6,6,7,8,8- hexamethylcyclopenta-gamma- 2-benzopyran | 1222-05-5 | 1-<5% | Skin Irrit. 3-Aquatic Acute 1-Aquatic Chronic 1;H316- H410 | | |
| Isobutyl isobutyrate | 97-85-8 | 1-<5% | Flam. Liq. 3-Acute Tox. 5-Aquatic Acute 3;H226-H333-H402 | | |
| alpha-Hexylcinnamaldehyde | 101-86-0 | 1-<5% | Acute Tox. 5-Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2;H303-H316-H317-H400-H411 | | |
| Aldehyde C-18 | 104-61-0 | 1-<5% | Skin Irrit. 3;H316 | | |
| Lauryl alcohol | 112-53-8 | 1-<5% | Eye Irrit. 2A-Aquatic Acute 1-Aquatic Chronic 2;H319- H400-H411 | | |
| Linalyl acetate | 115-95-7 | 1-<5% | Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2B-Skin Sens. 1B- Aquatic Acute 3;H227-H315-H317-H320-H402 | | |
| Tricyclodecenyl acetate | 5413-60-5 | 1-<5% | Acute Tox. 5-Skin Irrit. 3-Aquatic Acute 3;H303-H316- H402 | | |
| 2-Methyl-3-(p-isopropylphenyl) propionaldehyde | 103-95-7 | 0.1-<1% | Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Skin Sens. 1B- Aquatic Acute 2-Aquatic Chronic 3;H227-H303-H315- H317-H401-H412 | | |
| 6,6-Dimethoxy-2,5,5- trimethylhex-2-ene | 67674-46-8 | 0.1-<1% | Flam. Liq. 4-Skin Irrit. 2-Aquatic Acute 3-Aquatic Chronic 3;H227-H315-H412 | | |
| Piperonal | 120-57-0 | 0.1-<1% | Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 2;H303-H317-H401 | | |
| alpha-Amylcinnamaldehyde | 122-40-7 | 0.1-<1% | Acute Tox. 5-Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H303-H316-H317-H411 | | |
| Ethyl hexanoate | 123-66-0 | 0.1-<1% | Flam. Liq. 3-Skin Irrit. 2-Aquatic Acute 2;H226-H315- H401 | | |
| dl-Citronellol | 106-22-9 | 0.1-<1% | Acute Tox. 5-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2;H303-H313-H315-H317-H319-H401 | | |
| Terpineol | 8000-41-7 | 0.1-<1% | Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A- Aquatic Acute 3;H227-H303-H315-H319-H402 | | |
| 2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde | 68039-49-6 | 0.1-<1% | Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H227-H303-H315-H317-H319-H411 | | |





Version: 3 (13/10/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Monkey Farts LUX 0084

Version: 3

| Acetyl cedrene | 32388-55-9 | 0.1-<1% | Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H303-H317-H410 |
|---|--------------------|---------|--|
| 3 and 4-(4-Hydroxy-4- methylpentyl)-3-cyclohexene-1- carboxaldehyde | 31906-04-4 | 0.1-<1% | Skin Sens. 1A-Aquatic Acute 3;H317-H402 |
| 2,6,10-Trimethyl-9-undecenal | 141-13-9 | 0.1-<1% | Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1; H317-H410 |
| p-t-Butyl-alpha- methylhydrocinnamic aldehyde | 80-54-6 | 0.1-<1% | Flam. Liq. 4-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B-Repr. 2-Aquatic Acute 2-Aquatic Chronic 3;H227-H302-H315-H317-H361-H401-H412 |
| Citral | 5392-40-5 | 0.1-<1% | Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1- Aquatic Acute 2;H313-H315-H317-H319-H401 |
| Eugenol | 97-53-0 | 0.1-<1% | Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2A-Skin Sens. 1B- Aquatic Acute 2;H303-H316-H317-H319-H401 |
| 456-NL Menthol | 89-78-1 | 0.1-<1% | Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2B- Aquatic Acute 3;H227-H303-H315-H320-H402 |
| Geranyl Acetate | 105-87-3, 141-12-8 | 0.1-<1% | Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 3;H315-H317-H401-H412 |
| Hydroxycitronellal | 107-75-5 | 0.1-<1% | Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3;H317- H319-H402 |
| alpha-Methyl-1,3-benzodioxole- 5-propionaldehyde | 1205-17-0 | 0.1-<1% | Acute Tox. 5-Skin Sens. 1B-Repr. 2-Aquatic Acute 2- Aquatic Chronic 2;H303-H317-H361-H411 |
| 4-tert-Butylcyclohexyl acetate | 32210-23-4 | 0.1-<1% | Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 2;H303- H317-H401 |
| (E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one | 24720-09-0 | 0.1-<1% | Acute Tox. 4-Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H302-H313-H317-H411 |
| omega-6-Hexadecenlactone | 7779-50-2 | 0.1-<1% | Aquatic Acute 1-Aquatic Chronic 1;H410 |
| Methyl 2-nonynoate | 111-80-8 | <0.1% | Acute Tox. 4-Acute Tox. 5-Skin Irrit. 2-Skin Sens. 1A-Aquatic Acute 1-Aquatic Chronic 3;H302-H313-H315-H317-H400-H412 |

Substances with workplace exposure limits, not listed above:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Skin exposure: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with

water/shower.

Ingestion: Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

May be harmful if swallowed.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.



Page 5 (11)

Issue date: 13/10/2022 Version: 3 (13/10/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Monkey Farts LUX 0084

Version: 3

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

7.2 Conditions for safe storage, including any incompatibilities:

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable



Issue date: 13/10/2022

Page 6 (11)

Version: 3 (13/10/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Monkey Farts LUX 0084

Version: 3

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

9.2 Other information:

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Clear Yellow
Odour: Not determined
Odour threshold: Not determined
pH: Not determined
Melting point / freezing point: Not determined
Initial boiling point / range: Not determined

Flash point: > 55 °C

Evaporation rate: Not determined Flammability (solid, gas): Not determined

Upper/lower flammability or explosive limits: Product does not present an explosion hazard

Vapour pressure: Not determined Vapour density: Not determined Not determined Relative density: Solubility(ies): Not determined Partition coefficient: n-octanol/water: Not determined **Auto-ignition temperature:** Not determined **Decomposition temperature:** Not determined Viscosity: Not determined **Explosive properties:** Not expected Oxidising properties: Not expected

None available



Version: 3 (13/10/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Monkey Farts LUX 0084

Version: 3

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

Acute Toxicity: Acute Toxicity - Oral Category 5

Acute Toxicity Oral 2642
Acute Toxicity Dermal >5000

Acute Toxicity Inhalation Not Available

Skin corrosion/irritation:Skin Corrosion / Irritation Category 2Serious eye damage/irritation:Eye Damage / Irritation Category 2Respiratory or skin sensitisation:Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Carcinogenicity:

Based on available data the classification criteria are not met.

Reproductive toxicity:

Based on available data the classification criteria are not met.

STOT-single exposure:

Based on available data the classification criteria are not met.

STOT-repeated exposure:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

| Ingredient | CAS | LD50/ATE Oral | LD50/ATE Dermal | LC50/ATE Inhalation | LC50 Route |
|-----------------|----------|---------------|--------------------|------------------------|---------------|
| Benzyl acetate | 140-11-4 | 2490 | Not available | Not available | Not available |
| Benzyl alcohol | 100-51-6 | 1620 | 2500 | Not available | Not available |
| Benzyl benzoate | 120-51-4 | 1500 | 4000 | Not available | Not available |



Issue date: 13/10/2022

Page 8 (11)

Version: 3 (13/10/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Monkey Farts LUX 0084

Version: 3

| Benzyl propionate | 122-63-4 | 3300 | Not available | Not available | Not available |
|-------------------------------|------------|------|---------------|---------------|---------------|
| Benzyl salicylate | 118-58-1 | 2200 | Not available | Not available | Not available |
| Dihydromyrcenol | 18479-58-8 | 3600 | Not available | Not available | Not available |
| Linalool | 78-70-6 | 2790 | Not available | Not available | Not available |
| Tricyclodecenyl acetate | 5413-60-5 | 3050 | Not available | Not available | Not available |
| alpha- Hexylcinnamaldehyde | 101-86-0 | 3100 | Not available | Not available | Not available |

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available

12.3 Bioaccumulative potential: Not available

12.4 Mobility in soil: Not available

12.5 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

| | 14.1 UN number: | 14.2 UN Proper Shipping Name: | 14.3 Transport hazard class(es): | Sub Risk: | 14.4 Packing Group: |
|-------------------------|--------------------|--|---|-----------|------------------------|
| UN Model Regulations | UN1169 | EXTRACTS, AROMATIC, LIQUID | 3 | - | III |
| IMDG | UN1169 | EXTRACTS, AROMATIC, LIQUID (d- Limonene) MARINE POLLUTANT | 3 | - | III |
| ADR,RID,ADN | UN1169 | EXTRACTS, AROMATIC, LIQUID | 3 | - | III |
| ICAO TI | UN1169 | EXTRACTS, AROMATIC, LIQUID | 3 | - | III |





Version: 3 (13/10/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Monkey Farts LUX 0084

Version: 3

14.5 Environmental hazards: This is classified as an environmentally hazardous substance under the UN

Model Regulations. This is classified as a Marine Pollutant under the IMDG

Code.

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information

None additional

Section 16. Other information

Concentration % Limits: EH A1=43.32% EH A2=4.25% EH A3=0.42407526% EH C2=19.02% EH

C3=1.90% EH C4=39.99% SCI 2=94.61% SCI 3=6.18% EDI 2A=81.77%

SS 1=21.32%

Total Fractional Values: EH A1=2.31 EH A2=23.53 EH A3=235.81 EH C2=5.26 EH C3=52.76 EH

C4=2.50 SCI 2=1.06 SCI 3=16.19 EDI 2A=1.22 SS 1=4.69

Key to revisions:

GHS Workplace Exposure Limits

Hazardous Ingredients declard in a GHS Product Identifier

Information about hazardous ingredients in the mixture

SECTION 3: Composition/information on ingredients

Key to abbreviations:

| Abbreviation | Meaning |
|-------------------|--|
| Acute Tox. 4 | Acute Toxicity - Oral Category 4 |
| Acute Tox. 5 | Acute Toxicity - Dermal Category 5 |
| Acute Tox. 5 | Acute Toxicity - Oral Category 5 |
| Acute Tox. 5 | Acute Toxicity - Inhalation Category 5 |
| Aquatic Acute 1 | Hazardous to the Aquatic Environment - Acute Hazard Category 1 |
| Aquatic Acute 2 | Hazardous to the Aquatic Environment - Acute Hazard Category 2 |
| Aquatic Acute 3 | Hazardous to the Aquatic Environment - Acute Hazard Category 3 |
| Aquatic Chronic 1 | Hazardous to the Aquatic Environment - Long-term Hazard Category 1 |
| Aquatic Chronic 2 | Hazardous to the Aquatic Environment - Long-term Hazard Category 2 |
| Aquatic Chronic 3 | Hazardous to the Aquatic Environment - Long-term Hazard Category 3 |
| Asp. Tox 1 | Aspiration Hazard Category 1 |
| Eye Irrit. 2A | Eye Damage / Irritation Category 2A |
| Eye Irrit. 2B | Eye Damage / Irritation Category 2B |
| Flam. Liq. 3 | Flammable Liquid, Hazard Category 3 |
| Flam. Liq. 4 | Flammable Liquid, Hazard Category 4 |
| H226 | Flammable liquid and vapour. |
| H227 | Combustible liquid. |



Version: 3 (13/10/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Monkey Farts LUX 0084

Version: 3

| H302 | Hamaful if availaved |
|--------------|--|
| | Harmful if swallowed. |
| H303 | May be harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H313 | May be harmful in contact with skin. |
| H315 | Causes skin irritation. |
| H316 | Causes mild skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H320 | Causes eye irritation. |
| H333 | May be harmful if inhaled. |
| H361 | Suspected of damaging fertility or the unborn child (exposure route). |
| H400 | Very toxic to aquatic life. |
| H401 | Toxic to aquatic life. |
| H402 | Harmful to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| P202 | Do not handle until all safety precautions have been read and understood. |
| P210 | Keep away from heat, sparks, open flames and hot surfaces No smoking. |
| P233 | Keep container tightly closed. |
| P240 | Ground/bond container and receiving equipment. |
| P241 | Use explosion-proof electrical, ventilating and lighting equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P261 | Avoid breathing vapour or dust. |
| P264 | Wash hands and other contacted skin thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/eye protection/face protection. |
| P301/310 | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. |
| P301/312 | IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell. |
| P302/352 | IF ON SKIN: Wash with plenty of soap and water. |
| P303/361/353 | IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P304/312 | If inhaled: call a POISON CENTRE or doctor/physician if you feel unwell. |
| P305/351/338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P308/313 | IF exposed or concerned: Get medical advice/attention. |
| P312 | Call a POISON CENTRE or doctor/physician if you feel unwell. |
| P330 | Rinse mouth. |
| P331 | Do not induce vomiting. |
| P332/313 | If skin irritation occurs: Get medical advice/attention. |



Page 11 (11)

Issue date: 13/10/2022

Version: 3 (13/10/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Monkey Farts LUX 0084

Version: 3

| skin irritation or rash occurs: Get medical advice/attention. |
|---|
| eye irritation persists: Get medical advice/attention. |
| ake off contaminated clothing and wash before reuse. |
| ash contaminated clothing before reuse. |
| case of fire: Use carbon dioxide, dry chemical, foam for extinction. |
| ollect spillage. |
| tore in a well-ventilated place. Keep cool. |
| tore locked up. |
| ispose of contents/container to approved disposal site, in accordance with local regulations. |
| oxic to Reproduction Category 2 |
| kin Corrosion / Irritation Category 2 |
| kin Corrosion / Irritation Category 3 |
| ensitization - Skin Category 1 |
| ensitization - Skin Category 1A |
| ensitization - Skin Category 1B |
| t t i c |

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.