

In accordance with UN GHS latest edition

Product: Tropical Tangerine LUX 0270

Version: 2

Section 1. Identification of the substance or the mixture and of the supplier

- **1.1 Product Identifier**
- Product identifier: Tropical Tangerine LUX 0270(Contains:Allyl (3-methylbutoxy)acetate, Linalool, Linalyl acetate, d-Limonene)
- Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

- Product uses: Fragrances
- 1.3 Details of the supplier of the safety data sheet

Company name:	Luxaroma Pty Ltd
Company address:	27 Union Circuit Yatala QLD 4207 Australia
Contact:	Regulatory Affairs
E-Mail address:	info@luxaroma.com.au
Company phone:	1300 888 360
1.4 Emergency telepho	one number
Emergency phone:	1300 888 360

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Class and category of	Flammable Liquid, Hazard Category 4
danger:	Acute Toxicity - Inhalation Category 3
	Skin Corrosion / Irritation Category 2
	Eye Damage / Irritation Category 2
	Sensitization - Skin Category 1
	Aspiration Hazard Category 1
	Hazardous to the Aquatic Environment - Acute Hazard Category 1
	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
	H227, Combustible liquid.
	H304, May be fatal if swallowed and enters airways.
	H315, Causes skin irritation.
	H317, May cause an allergic skin reaction.
	H319, Causes serious eye irritation.
	H331, Toxic if inhaled.
	H410, Very toxic to aquatic life with long lasting effects.
2.2 Label elements	

Danger



Page 2 (11) Issue date: 21/11/2022 Version: 2 (21/11/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product:	Tropica	al Tangerine LUX 0270
Version:	2	
Hazard state	ments:	 H227, Combustible liquid. H304, May be fatal if swallowed and enters airways. H315, Causes skin irritation. H317, May cause an allergic skin reaction. H319, Causes serious eye irritation. H331, Toxic if inhaled. H410, Very toxic to aquatic life with long lasting effects.
Precautionar statements:	у	 P210, Keep away from heat, sparks, open flames and hot surfaces No smoking. P261, Avoid breathing vapour or dust. P264, Wash hands and other contacted skin thoroughly after handling. P271, Use only outdoors or in a well-ventilated area. P272, Contaminated work clothing should not be allowed out of the workplace. P273, Avoid release to the environment. P280, Wear protective gloves/eye protection/face protection. P301/310, IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P302/352, IF ON SKIN: Wash with plenty of soap and water. P304/340, IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P311, Call a POISON CENTRE or doctor/physician. P333, 11, Skin irritation or rash occurs: Get medical advice/attention. P337/313, If skin irritation persists: Get medical advice/attention. P337/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P301, Collect spillage. P403/235, Store in a well-ventilated place. Keep cool. P405, Store locked up. P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.
Pictograms:		

2.3 Other hazards Other hazards:

None



In accordance with UN GHS latest edition

Product: Tropical Tangerine LUX 0270

Version: 2

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name CAS % GHS Clas		GHS Classification		
d-Limonene	5989-27-5	20-<50%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315- H317-H410	
Linalool	78-70-6	10-<20%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3;H227-H303-H315-H317- H319-H402	
2-tert-Butylcyclohexyl acetate	88-41-5	10-<20%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 3-Aquatic Acute 2- Aquatic Chronic 2;H227-H303-H316-H411	
Ethylene brassylate	105-95-3	10-<20%	Aquatic Acute 2;H401	
Methyl dihydrojasmonate	24851-98-7	5-<10%	Aquatic Acute 3;H402	
2-Phenoxyethyl isobutyrate	103-60-6	5-<10%	Skin Irrit. 3;H316	
475-NL Methyl naphthyl ketone	93-08-3	1-<5%	Acute Tox. 5-Aquatic Acute 2;H303-H401	
Linalyl acetate	115-95-7	1-<5%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2B-Skin Sens. 1B- Aquatic Acute 3;H227-H315-H317-H320-H402	
gamma-Decalactone	706-14-9	1-<5%	Skin Irrit. 3;H316	
311-NL Ethyl maltol	4940-11-8	1-<5%	Acute Tox. 4-Aquatic Acute 2;H302-H401	
alpha-Hexylcinnamaldehyde	101-86-0	1-<5%	Acute Tox. 5-Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2;H303-H316-H317-H400-H411	
Benzyl acetate	140-11-4	1-<5%	Acute Tox. 5-Aquatic Acute 2-Aquatic Chronic 3;H303- H401-H412	
Decanal	112-31-2	1-<5%	Flam. Liq. 4-Skin Irrit. 3-Eye Irrit. 2A-Aquatic Acute 2- Aquatic Chronic 3;H227-H316-H319-H401-H412	
Decyl acetate	112-17-4	1-<5%	Skin Irrit. 3-Aquatic Acute 1-Aquatic Chronic 1;H316- H410	
Phenethyl alcohol	60-12-8	1-<5%	Acute Tox. 4-Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2A; H302-H313-H316-H319	
3a,4,5,6,7,7a-Hexahydro-4,7- methano-1H-inden-5-yl isobutyrate	67634-20-2	1-<5%	Eye Irrit. 2A-Aquatic Acute 2-Aquatic Chronic 2;H319- H411	
Methyl cinnamate	103-26-4	1-<5%	Acute Tox. 5-Skin Sens. 1B;H303-H317	
Phenethyl isobutyrate	103-48-0	1-<5%	Aquatic Acute 2;H401	
Geranyl Acetate	105-87-3, 141-12-8	0.1-<1%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 3;H315-H317-H401-H412	
Myrcene	123-35-3	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Eye Irrit. 2A-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 2;H226-H304-H315-H319- H400-H411	
Citronellyl acetate	150-84-5	0.1-<1%	Skin Irrit. 2-Aquatic Acute 2-Aquatic Chronic 2;H315- H411	
Allyl (3-methylbutoxy)acetate	67634-00-8	0.1-<1%	Flam. Liq. 4-Acute Tox. 4-Acute Tox. 1-Skin Irrit. 2-Eye Irrit. 2A-STOT SE 3-Aquatic Acute 2;H227-H302-H315- H319-H330-H335-H401	
Octanal	124-13-0	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Eye Irrit. 2A-Aquatic Acute 2- Aquatic Chronic 2;H226-H315-H319-H411	
Allyl alpha-ionone	79-78-7	0.1-<1%	Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2; H317-H411	
Ethyl methylphenylglycidate	77-83-8	0.1-<1%	Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2; H317-H411	
Neryl acetate	141-12-8	0.1-<1%	Skin Sens. 1B-Aquatic Acute 2;H317-H401	
delta-1-(2,6,6-Trimethyl-3- cyclohexen-1-yl)-2-buten-1-one	57378-68-4	0.1-<1%	Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1A-Aquatic Acute 1-Aquatic Chronic 1;H302-H315-H317-H410	



In accordance with UN GHS latest edition

Product: Tropical Tangerine LUX 0270

Version: 2

590-NL Tetralide	38462-22-5	0.1-<1%	Flam. Liq. 4-Skin Sens. 1B;H227-H317
alpha-Pinene	80-56-8	0.1-<1%	Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B- Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226- H302-H304-H315-H317-H410
Tridecene-2-nitrile	22629-49-8	<u 1%<="" td=""><td>Skin Irrit. 3-Aquatic Acute 1-Aquatic Chronic 1;H316- H410</td></u>	Skin Irrit. 3-Aquatic Acute 1-Aquatic Chronic 1;H316- H410

Substances with workplace exposure limits, not listed above:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

- Inhalation: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- **Eye exposure:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Skin exposure: IF ON SKIN: Wash with plenty of soap and water.
- Ingestion: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

4.2 Most important symptoms and effects, both acute and delayed

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

Toxic if inhaled.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.



In accordance with UN GHS latest edition

Product: Tropical Tangerine LUX 0270

Version: 2

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.



Page 6 (11) Issue date: 21/11/2022 Version: 2 (21/11/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Tropical Tangerine LUX 0270

Version: 2

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	Clear Orange
Odour:	Not determined
Odour threshold:	Not determined
pH:	Not determined
Melting point / freezing point:	Not determined
Initial boiling point / range:	Not determined
Flash point:	> 70 °C
Evaporation rate:	Not determined
Flammability (solid, gas):	Not determined
Upper/lower flammability or explosive limits:	Product does not present an explosion hazard
Vapour pressure:	Not determined
Vapour density:	Not determined
Relative density:	Not determined
Solubility(ies):	Not determined
Partition coefficient: n-octanol/water:	Not determined
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Viscosity:	Not determined
Explosive properties:	Not expected
Oxidising properties:	Not expected
9.2 Other information:	None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.



In accordance with UN GHS latest edition

Product: Tropical Tangerine LUX 0270

Version: 2

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

Acute Toxicity:	Acute Toxicity - Inhalation Category 3
Acute Toxicity Oral	>5000
Acute Toxicity Dermal	>5000
Acute Toxicity Inhalation	9.43
Skin corrosion/irritation:	Skin Corrosion / Irritation Category 2
Serious eye damage/irritation:	Eye Damage / Irritation Category 2
Respiratory or skin sensitisation:	Sensitization - Skin Category 1
Germ cell mutagenicity:	Based on available data the classification criteria are not met.
Carcinogenicity:	Based on available data the classification criteria are not met.
Reproductive toxicity:	Based on available data the classification criteria are not met.
STOT-single exposure:	Based on available data the classification criteria are not met.
STOT-repeated exposure:	Based on available data the classification criteria are not met.
Aspiration hazard:	Aspiration Hazard Category 1

Information about hazardous ingredients in the mixture

Ingredient	CAS	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
2-tert-Butylcyclohexyl acetate	88-41-5	4600	Not available	Not available	Not available
311-NL Ethyl maltol	4940-11-8	1200	Not available	Not available	Not available
475-NL Methyl naphthyl ketone	93-08-3	2500	Not available	Not available	Not available
Allyl (3-methylbutoxy) acetate	67634-00-8	730	Not available	0.05	Not available
Benzyl acetate	140-11-4	2490	Not available	Not available	Not available
Linalool	78-70-6	2790	Not available	Not available	Not available
Methyl cinnamate	103-26-4	2610	Not available	Not available	Not available
Phenethyl alcohol	60-12-8	1610	2500	Not available	Not available
alpha- Hexylcinnamaldehyde	101-86-0	3100	Not available	Not available	Not available

Refer to Sections 2 and 3 for additional information.



In accordance with UN GHS latest edition

Product: Tropical Tangerine LUX 0270

Version: 2

Section 12. Ecological information

12.1 Toxicity:

Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability:	Not available
12.3 Bioaccumulative potential:	Not available
12.4 Mobility in soil:	Not available
12.5 Other adverse effects:	Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class(es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	UN2810	TOXIC LIQUID, ORGANIC, N.O.S. (Linalool, 2-tert-Butylcyclohexyl acetate)	6.1	-	111
IMDG	UN2810	TOXIC LIQUID, ORGANIC, N.O.S. (Linalool, 2-tert-Butylcyclohexyl acetate, d-Limonene) MARINE POLLUTANT	6.1	-	111
ADR,RID,ADN	UN2810	TOXIC LIQUID, ORGANIC, N.O.S. (Linalool, 2-tert-Butylcyclohexyl acetate)	6.1	-	111
ICAO TI	UN2810	TOXIC LIQUID, ORGANIC, N.O.S. (Linalool, 2-tert-Butylcyclohexyl acetate)	6.1	-	111

14.5 Environmental hazards:

This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code.

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

Section 15. Regulatory information

None additional



In accordance with UN GHS latest edition

Version: 2

Section 16. Other information

Concentration % Limits:

EH A1=77.68% EH A2=7.06% EH A3=0.70148305% EH C1=84.69% EH C2=8.05% EH C3=0.80379272% EH C4=52.30% SCI 2=23.51% SCI 3=2. 07% EDI 2A=54.80% SS 1=3.63% AH 1=36.33%

Total Fractional Values:

EH A1=1.29 EH A2=14.17 EH A3=142.56 EH C1=1.18 EH C2=12.43 EH C3=124.41 EH C4=1.91 SCI 2=4.25 SCI 3=48.29 EDI 2A=1.82 SS 1=27. 52 AH 1=2.75

Key to revisions:

14.1. UN number

14.2. UN proper shipping name
14.3. Transport hazard class(es)
2.1 Classification of the substance or mixture
Concentration % Limits
GHS Workplace Exposure Limits
Hazardous Ingredients declard in a GHS Product Identifier
Information about hazardous ingredients in the mixture
SECTION 3: Composition/information on ingredients
Total Fractional Values

Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 1	Acute Toxicity - Inhalation Category 1
Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 5	Acute Toxicity - Oral Category 5
Acute Tox. 5	Acute Toxicity - Dermal Category 5
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Asp. Tox 1	Aspiration Hazard Category 1
Eye Irrit. 2A	Eye Damage / Irritation Category 2A
Eye Irrit. 2B	Eye Damage / Irritation Category 2B
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
Flam. Liq. 4	Flammable Liquid, Hazard Category 4
H226	Flammable liquid and vapour.
H227	Combustible liquid.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H313	May be harmful in contact with skin.



Page 10 (11) Issue date: 21/11/2022 Version: 2 (21/11/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Tropical Tangerine LUX 0270

2

Version:

P362	Take off contaminated clothing and wash before reuse.
P337/313	If eye irritation persists: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P332/313	If skin irritation occurs: Get medical advice/attention.
P331	Do not induce vomiting.
P330	Rinse mouth.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P310	Immediately call a POISON CENTER or doctor/physician.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P303/361/353	
P302/352	IF ON SKIN: Wash with plenty of soap and water. IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P284	Wear respiratory protection.
P280	Wear protective gloves/eye protection/face protection.
P273	Avoid release to the environment.
P272	Contaminated work clothing should not be allowed out of the workplace.
P270	Do not eat, drink or smoke when using this product.
P264	Wash hands and other contacted skin thoroughly after handling.
P261	Avoid breathing vapour or dust.
P260	Do not breathe vapour or dust.
P243	Take precautionary measures against static discharge.
P242	Use only non-sparking tools.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P240	Ground/bond container and receiving equipment.
P233	Keep container tightly closed.
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
H412	Harmful to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H410	Very toxic to aquatic life with long lasting effects.
H402	Harmful to aquatic life.
H401	Toxic to aquatic life.
H400	Very toxic to aquatic life.
H335	May cause respiratory irritation.
H330	Fatal if inhaled.
H320	Causes eye irritation.
H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.
H316	Causes mild skin irritation.



In accordance with UN GHS latest edition

Product: Tropical Tangerine LUX 0270

2

Version:

P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/233/235	Store in a well-ventilated place. Keep container tightly closed. Keep cool.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
STOT SE 3	Specific Target Organ Toxicity (Single Exposure) Category 3
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Irrit. 3	Skin Corrosion / Irritation Category 3
Skin Sens. 1A	Sensitization - Skin Category 1A
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.