

In accordance with UN GHS latest edition

Product: Bubblegum LUX 0205

Version: 3

Section 1. Identification of the substance or the mixture and of the supplier

- **1.1 Product Identifier**
- Product identifier: Bubblegum LUX 0205(Contains:Benzyl benzoate, Cinnamaldehyde, Methyl salicylate, d-Limonene)
- Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

- Product uses: Fragrances
- 1.3 Details of the supplier of the safety data sheet

Company name:	Luxaroma Pty Ltd			
Company address:	27 Union Circuit Yatala QLD 4207 Australia			
Contact:	Regulatory Affairs			
E-Mail address:	info@luxaroma.com.au			
Company phone:	1300 888 360			
1.4 Emergency telephone number				
Emergency phone:	1300 888 360			

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Class and category of danger:	Flammable Liquid, Hazard Category 3 Acute Toxicity - Oral Category 5 Skin Corrosion / Irritation Category 2 Eye Damage / Irritation Category 2 Sensitization - Skin Category 1 Toxic to Reproduction Category 2 Aspiration Hazard Category 1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 H226, Flammable liquid and vapour. H303, May be harmful if swallowed. H304, May be fatal if swallowed and enters airways. H315, Causes skin irritation. H317, May cause an allergic skin reaction. H319, Causes serious eye irritation. H361, Suspected of damaging fertility or the unborn child (exposure route). H400, Very toxic to aquatic life.
	H411, Toxic to aquatic life with long lasting effects.



Page 2 (10) Issue date: 01/09/2022 Version: 3 (01/09/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product:	Bubble	gum LUX 0205
Version:	3	
2.2 Label ele	ments	
Signal word:		Danger
Hazard state	ments:	 H226, Flammable liquid and vapour. H303, May be harmful if swallowed. H304, May be fatal if swallowed and enters airways. H315, Causes skin irritation. H317, May cause an allergic skin reaction. H319, Causes serious eye irritation. H361, Suspected of damaging fertility or the unborn child (exposure route). H400, Very toxic to aquatic life. H411, Toxic to aquatic life with long lasting effects.
Precautionar statements:	у	 P202, Do not handle until all safety precautions have been read and understood. P210, Keep away from heat, sparks, open flames and hot surfaces No smoking. P233, Keep container tightly closed. P240, Ground/bond container and receiving equipment. P241, Use explosion-proof electrical, ventilating and lighting equipment. P242, Use only non-sparking tools. P243, Take precautionary measures against static discharge. P261, Avoid breathing vapour or dust. P264, Wash hands and other contacted skin thoroughly after handling. P272, Contaminated work clothing should not be allowed out of the workplace. P273, Avoid release to the environment. P280, Wear protective gloves/eye protection/face protection. P301/310, IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P303/361/353, IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P308/313, IF exposed or concerned: Get medical advice/attention. P312, Call a POISON CENTRE or doctor/physician if you feel unwell. P333/313, If skin irritation or rash occurs: Get medical advice/attention. P337/313, If eye irritation persists: Get medical advice/attention. P337/313, If eye irritation persists: Get medical advice/attention. P307/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P311, Collect spillage. P403/235, Store in a well-ventilated place. Keep cool. P403/235, Store in a well-ventilated place. Keep cool. P405, Store locked up. P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.



In accordance with UN GHS latest edition



Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	%	GHS Classification
Benzyl benzoate	120-51-4	50-100%	Acute Tox. 4-Acute Tox. 5-Aquatic Acute 1-Aquatic Chronic 2;H302-H313-H400-H411
Isoamyl acetate	123-92-2	10-<20%	Flam. Liq. 3-Aquatic Acute 3;H226-H402
d-Limonene	5989-27-5	10-<20%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315- H317-H410
Ethyl butyrate	105-54-4	1-<5%	Flam. Liq. 3-Eye Irrit. 2A;H226-H319
Methyl salicylate	119-36-8	1-<5%	Acute Tox. 4-Skin Irrit. 3-Repr. 2-Aquatic Acute 3;H302- H316-H361-H402
602-NL Vanillin	121-33-5	1-<5%	Acute Tox. 5-Eye Irrit. 2A-Aquatic Acute 3;H303-H319- H402
Eugenol	97-53-0	1-<5%	Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2A-Skin Sens. 1B- Aquatic Acute 2;H303-H316-H317-H319-H401
456-NL Menthol	89-78-1	1-<5%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2B- Aquatic Acute 3;H227-H303-H315-H320-H402
Ethyl methylphenylglycidate	77-83-8	0.1-<1%	Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2; H317-H411
Cinnamyl alcohol	104-54-1	0.1-<1%	Acute Tox. 5-Skin Sens. 1B;H303-H317
Linalool	78-70-6	0.1-<1%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3;H227-H303-H315-H317- H319-H402
Cinnamaldehyde	104-55-2	0.1-<1%	Acute Tox. 5-Acute Tox. 4-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1A-Aquatic Acute 2;H303-H312-H315-H317- H319-H401
Isoamyl alcohol	123-51-3	0.1-<1%	Flam. Liq. 3-Acute Tox. 5-Acute Tox. 5-Skin Irrit. 2-Eye Dam. 1-STOT SE 3;H226-H303-H313-H315-H318- H335
Piperonal	120-57-0	0.1-<1%	Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 2;H303- H317-H401

Substances with workplace exposure limits, not listed above:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures



In accordance with UN GHS latest edition

Product: Bubblegum LUX 0205

Version: 3

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Skin exposure: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

Ingestion: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

4.2 Most important symptoms and effects, both acute and delayed

May be harmful if swallowed.

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

Suspected of damaging fertility or the unborn child (exposure route).

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.



Page 5 (10) Issue date: 01/09/2022 Version: 3 (01/09/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Bubblegum LUX 0205

Version: 3

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

7.2 Conditions for safe storage, including any incompatibilities:

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	Clear Yellow
Odour:	Not determined
Odour threshold:	Not determined
pH:	Not determined
Melting point / freezing point:	Not determined
Initial boiling point / range:	Not determined
Flash point:	> 45 °C
Evaporation rate:	Not determined
Flammability (solid, gas):	Not determined



Page 6 (10) Issue date: 01/09/2022 Version: 3 (01/09/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Bubblegum LUX 0205

Version: 3

Upper/lower flammability or explosive limits:	Product does not present an explosion hazard
Vapour pressure:	Not determined
Vapour density:	Not determined
Relative density:	Not determined
Solubility(ies):	Not determined
Partition coefficient: n-octanol/water:	Not determined
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Viscosity:	Not determined
Explosive properties:	Not expected
Oxidising properties:	Not expected
9.2 Other information:	None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

Acute Toxicity:	Acute Toxicity - Oral Category 5
Acute Toxicity Oral	2400
Acute Toxicity Dermal	>5000
Acute Toxicity Inhalation	Not Available
Skin corrosion/irritation:	Skin Corrosion / Irritation Category 2

LUXAROMA

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product:	Bubblegum LUX 0205
----------	--------------------

Version: 3

Serious eye damage/irritation:	Eye Damage / Irritation Category 2
Respiratory or skin sensitisation:	Sensitization - Skin Category 1
Germ cell mutagenicity:	Based on available data the classification criteria are not met.
Carcinogenicity:	Based on available data the classification criteria are not met.
Reproductive toxicity:	Toxic to Reproduction Category 2
STOT-single exposure:	Based on available data the classification criteria are not met.
STOT-repeated exposure:	Based on available data the classification criteria are not met.
Aspiration hazard:	Aspiration Hazard Category 1

Information about hazardous ingredients in the mixture

Ingredient	CAS	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
456-NL Menthol	89-78-1	2600	Not available	Not available	Not available
602-NL Vanillin	121-33-5	3500	Not available	Not available	Not available
Benzyl benzoate	120-51-4	1500	4000	Not available	Not available
Eugenol	97-53-0	2500	Not available	Not available	Not available
Methyl salicylate	119-36-8	890	Not available	Not available	Not available

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability:	Not available
12.3 Bioaccumulative potential:	Not available
12.4 Mobility in soil:	Not available
12.5 Other adverse effects:	Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard	Sub Risk:	14.4 Packing Group:
--------------------	-------------------------------	-----------------------------	-----------	------------------------



In accordance with UN GHS latest edition

Product: Bubblegum LUX 0205

Version: 3

			class(es):		
UN Model Regulations	UN1169	EXTRACTS, AROMATIC, LIQUID	3	-	111
IMDG	UN1169	EXTRACTS, AROMATIC, LIQUID (d- Limonene) MARINE POLLUTANT	3	-	111
ADR,RID,ADN	UN1169	EXTRACTS, AROMATIC, LIQUID	3	-	111
ICAO TI	UN1169	EXTRACTS, AROMATIC, LIQUID	3	-	111

14.5 Environmental hazards:

This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code.

14.6 Special precautions for user:

None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information

None additional

Section 16. Other information

Concentration % Limits:	EH A1=39.26% EH A2=3.92% EH A3=0.38995477% EH C2=16.27% EH C3=1.63% EH C4=39.26% SCI 2=86.96% SCI 3=7.58% EDI 2A=80.00% SS 1=10.00% REP 2=90.91% AH 1=100.00%
Total Fractional Values:	EH A1=2.55 EH A2=25.54 EH A3=256.44 EH C2=6.15 EH C3=61.47 EH C4=2.55 SCI 2=1.15 SCI 3=13.20 EDI 2A=1.25 SS 1=10.00 REP 2=1.10 AH 1=1.00

Key to revisions:

GHS Workplace Exposure Limits

Hazardous Ingredients declard in a GHS Product Identifier Information about hazardous ingredients in the mixture SECTION 3: Composition/information on ingredients

Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 4	Acute Toxicity - Dermal Category 4
Acute Tox. 5	Acute Toxicity - Dermal Category 5
Acute Tox. 5	Acute Toxicity - Oral Category 5
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3



In accordance with UN GHS latest edition

Product:	Bubblegum LUX 0205
----------	--------------------

Version: 3

Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1	
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2	
Asp. Tox 1	Aspiration Hazard Category 1	
Eye Dam. 1	Eye Damage / Irritation Category 1	
Eye Irrit. 2A	Eye Damage / Irritation Category 2A	
Eye Irrit. 2B	Eye Damage / Irritation Category 2B	
Flam. Liq. 3	Flammable Liquid, Hazard Category 3	
Flam. Liq. 4	Flammable Liquid, Hazard Category 4	
H226	Flammable liquid and vapour.	
H227	Combustible liquid.	
H302	Harmful if swallowed.	
H303	May be harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H312	Harmful in contact with skin.	
H313	May be harmful in contact with skin.	
H315	Causes skin irritation.	
H316	Causes mild skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H320	Causes eye irritation.	
H335	May cause respiratory irritation.	
H361	Suspected of damaging fertility or the unborn child (exposure route).	
H400	Very toxic to aquatic life.	
H401	Toxic to aquatic life.	
H402	Harmful to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
P202	Do not handle until all safety precautions have been read and understood.	
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.	
P233	Keep container tightly closed.	
P240	Ground/bond container and receiving equipment.	
P241	Use explosion-proof electrical, ventilating and lighting equipment.	
P242	Use only non-sparking tools.	
P243	Take precautionary measures against static discharge.	
P261	Avoid breathing vapour or dust.	
P264	Wash hands and other contacted skin thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	
P271	Use only outdoors or in a well-ventilated area.	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P273	Avoid release to the environment.	
P280	Wear protective gloves/eye protection/face protection.	



In accordance with UN GHS latest edition

Product: Bubblegum LUX 0205

Version: 3

P281	Use personal protective equipment as required.	
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	
P302/352	IF ON SKIN: Wash with plenty of soap and water.	
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.	
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.	
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P308/313	IF exposed or concerned: Get medical advice/attention.	
P310	Immediately call a POISON CENTER or doctor/physician.	
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.	
P330	Rinse mouth.	
P331	Do not induce vomiting.	
P332/313	If skin irritation occurs: Get medical advice/attention.	
P333/313	If skin irritation or rash occurs: Get medical advice/attention.	
P337/313	If eye irritation persists: Get medical advice/attention.	
P362	Take off contaminated clothing and wash before reuse.	
P363	Wash contaminated clothing before reuse.	
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.	
P391	Collect spillage.	
P403/233/235	Store in a well-ventilated place. Keep container tightly closed. Keep cool.	
P403/235	Store in a well-ventilated place. Keep cool.	
P405	Store locked up.	
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.	
Repr. 2	Toxic to Reproduction Category 2	
STOT SE 3	Specific Target Organ Toxicity (Single Exposure) Category 3	
Skin Irrit. 2	Skin Corrosion / Irritation Category 2	
Skin Irrit. 3	Skin Corrosion / Irritation Category 3	
Skin Sens. 1A	Sensitization - Skin Category 1A	
Skin Sens. 1B	Sensitization - Skin Category 1B	

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.