

In accordance with UN GHS latest edition

Product: Angelic Whispers LUX 0753

Version: 2

# Section 1. Identification of the substance or the mixture and of the supplier

- **1.1 Product Identifier**
- **Product identifier:** Angelic Whispers LUX 0753(Contains:Benzyl salicylate, Linalool, alpha-iso-Methylionone, p-t-Butyl-alpha-methylhydrocinnamic aldehyde)
- Other identifiers: None

# 1.2 Relevant identified uses of the substance of mixture and uses advised against

- Product uses: Fragrances
- **1.3 Details of the supplier of the safety data sheet**

Company name:	Luxaroma Pty Ltd
Company address:	27 Union Circuit Yatala QLD 4207 Australia
Contact:	Regulatory Affairs
E-Mail address:	info@luxaroma.com.au
Company phone:	1300 888 360
1.4 Emergency telepho	one number
Emergency phone:	1300 888 360

# Section 2. Hazards identification

# 2.1 Classification of the substance or mixture

	Flammable Liquid, Hazard Category 4		
danger:	Acute Toxicity - Oral Category 5		
	Skin Corrosion / Irritation Category 2		
	Eye Damage / Irritation Category 2		
	Sensitization - Skin Category 1		
	Toxic to Reproduction Category 2		
	Hazardous to the Aquatic Environment - Acute Hazard Category 2		
	Hazardous to the Aquatic Environment - Long-term Hazard Category 2		
	H227, Combustible liquid.		
	H303, May be harmful if swallowed.		
	H315, Causes skin irritation.		
	H317, May cause an allergic skin reaction.		
	H319, Causes serious eye irritation.		
	H361, Suspected of damaging fertility or the unborn child (exposure route).		
	H411, Toxic to aquatic life with long lasting effects.		
2.2 Label elements			
Signal word:	Warning		



Page 2 (10) Issue date: 29/11/2022 Version: 2 (29/11/2022)

# SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product:	Angelic	Whispers LUX 0753
Version:	2	
Hazard stater	nents:	H227, Combustible liquid.
		H303, May be harmful if swallowed.
		H315, Causes skin irritation.
		H317, May cause an allergic skin reaction.
		H319, Causes serious eye irritation.
		H361, Suspected of damaging fertility or the unborn child (exposure route).
		H411, Toxic to aquatic life with long lasting effects.
Precautionary	y	P202, Do not handle until all safety precautions have been read and understood.
statements:		P210, Keep away from heat, sparks, open flames and hot surfaces No smoking.
		P261, Avoid breathing vapour or dust.
		P264, Wash hands and other contacted skin thoroughly after handling.
		P272, Contaminated work clothing should not be allowed out of the workplace.
		P273, Avoid release to the environment.
		P280, Wear protective gloves/eye protection/face protection.
		P302/352, IF ON SKIN: Wash with plenty of soap and water.
		P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308/313, IF exposed or concerned: Get medical advice/attention.
		P312, Call a POISON CENTRE or doctor/physician if you feel unwell.
		P333/313, If skin irritation or rash occurs: Get medical advice/attention.
		P337/313, If eye irritation persists: Get medical advice/attention.
		P362, Take off contaminated clothing and wash before reuse.
		P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
		P391, Collect spillage.
		P403/235, Store in a well-ventilated place. Keep cool.
		P405, Store locked up.
		P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.
Pictograms:		
2.3 Other haz	ards	
Other hazards	S:	None
		Section 3. Composition / information on ingredients
3.2 Mixtures		

Contains:



In accordance with UN GHS latest edition

Product: Angelic Whispers LUX 0753

#### Version: 2

Name	CAS	%	GHS Classification	
p-t-Butyl-alpha- methylhydrocinnamic aldehyde	80-54-6	10-<20%	Flam. Liq. 4-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B- Repr. 2-Aquatic Acute 2-Aquatic Chronic 3;H227-H302- H315-H317-H361-H401-H412	
Methyl dihydrojasmonate	24851-98-7	10-<20%	Aquatic Acute 3;H402	
1,3,4,6,7,8-Hexahydro- 4,6,6,7,8,8- hexamethylcyclopenta-gamma- 2-benzopyran	1222-05-5	5-<10%	Skin Irrit. 3-Aquatic Acute 1-Aquatic Chronic 1;H316- H410	
3,7-Dimethyl-1,6-nonadien-3-ol	10339-55-6	5-<10%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A- Aquatic Acute 3;H227-H303-H315-H319-H402	
Benzyl salicylate	118-58-1	5-<10%	Acute Tox. 5-Eye Irrit. 2B-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 3;H303-H317-H320-H401-H412	
Benzyl benzoate	120-51-4	5-<10%	Acute Tox. 4-Acute Tox. 5-Aquatic Acute 1-Aquatic Chronic 2;H302-H313-H400-H411	
Benzyl acetate	140-11-4	1-<5%	Acute Tox. 5-Aquatic Acute 2-Aquatic Chronic 3;H303- H401-H412	
Phenethyl alcohol	60-12-8	1-<5%	Acute Tox. 4-Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2A; H302-H313-H316-H319	
Linalool	78-70-6	1-<5%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3;H227-H303-H315-H317- H319-H402	
1-(1,2,3,4,5,6,7,8-Octahydro- 2,3,8,8-tetramethyl-2- naphthalenyl)ethanone	54464-57-2	1-<5%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 1;H315-H317-H401-H410	
alpha-iso-Methylionone	127-51-5	1-<5%	Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H316-H317-H411	
Linalyl acetate	115-95-7	1-<5%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2B-Skin Sens. 1B- Aquatic Acute 3;H227-H315-H317-H320-H402	
gamma-Undecalactone	104-67-6	1-<5%	Skin Irrit. 3-Aquatic Acute 3-Aquatic Chronic 3;H316- H412	
Ethylene brassylate	105-95-3	1-<5%	Aquatic Acute 2;H401	
2-Methyl-3-(p-isopropylphenyl) propionaldehyde	103-95-7	1-<5%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Skin Sens. 1B- Aquatic Acute 2-Aquatic Chronic 3;H227-H303-H315- H317-H401-H412	
alpha-Methyl-1,3-benzodioxole- 5-propionaldehyde	1205-17-0	1-<5%	Acute Tox. 5-Skin Sens. 1B-Repr. 2-Aquatic Acute 2- Aquatic Chronic 2;H303-H317-H361-H411	
Dihydromyrcenol	18479-58-8	1-<5%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A- Aquatic Acute 3;H227-H303-H315-H319-H402	
Dimethylbenzyl carbinyl butyrate	10094-34-5	1-<5%	Aquatic Acute 2-Aquatic Chronic 2;H411	
dl-Citronellol	106-22-9	0.1-<1%	Acute Tox. 5-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2;H303-H313-H315-H317- H319-H401	
2,4-Dimethyl-3-cyclohexen-1- carboxaldehyde	68039-49-6	0.1-<1%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H227- H303-H315-H317-H319-H411	
Hydroxycitronellal	107-75-5	0.1-<1%	Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3;H317- H319-H402	
Tetrahydro-4-methyl-2-(2- methylpropen-1-yl)pyran	16409-43-1	0.1-<1%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Repr. 2-Aquatic Acute 3;H227-H303-H315-H319-H361-H402	
(2E)-1-(2,6,6-Trimethyl-1- cyclohexen-1-yl)-2-buten-1-one	23726-91-2	0.1-<1%	Acute Tox. 5-Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H303-H315-H317-H411	
483-NL Mousse de Metra	4707-47-5	0.1-<1%	Skin Sens. 1B-Aquatic Acute 2;H317-H401	
Terpineol	8000-41-7	0.1-<1%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A- Aquatic Acute 3;H227-H303-H315-H319-H402	

Substances with workplace exposure limits, not listed above:

Not Applicable



In accordance with UN GHS latest edition

Product: Angelic Whispers LUX 0753

Version: 2

# Section 4. First-aid measures

#### 4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

**Eye exposure:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water.

Ingestion: Rinse mouth with water and obtain medical attention.

# 4.2 Most important symptoms and effects, both acute and delayed

May be harmful if swallowed.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

Suspected of damaging fertility or the unborn child (exposure route).

# 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

# Section 5: Firefighting measures

# 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

# 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

# 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

# Section 6. Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

# 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

# 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

# 6.4 Reference to other sections:

Also refer to sections 8 and 13.



In accordance with UN GHS latest edition

Product: Angelic Whispers LUX 0753

Version: 2

# Section 7. Handling and storage

#### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

#### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

# Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

Workplace exposure limits: Not Applicable

# 8.2 Exposure Controls

# Eye / Skin Protection

Wear protective gloves/eye protection/face protection

# **Respiratory Protection**

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

# Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance:	Clear Yellow
Odour:	Not determined
Odour threshold:	Not determined
pH:	Not determined
Melting point / freezing point:	Not determined
Initial boiling point / range:	Not determined
Flash point:	> 85 °C
Evaporation rate:	Not determined
Flammability (solid, gas):	Not determined



Page 6 (10) Issue date: 29/11/2022 Version: 2 (29/11/2022)

# SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Angelic Whispers LUX 0753

Version: 2

Upper/lower flammability or explosive limits:	Product does not present an explosion hazard
Vapour pressure:	Not determined
Vapour density:	Not determined
Relative density:	Not determined
Solubility(ies):	Not determined
Partition coefficient: n-octanol/water:	Not determined
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Viscosity:	Not determined
Explosive properties:	Not expected
Oxidising properties:	Not expected
9.2 Other information:	None available

# Section 10. Stability and reactivity

# 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

#### 10.2 Chemical stability:

Good stability under normal storage conditions.

# 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

#### 10.4 Conditions to avoid:

Avoid extreme heat.

#### 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

# 10.6 Hazardous decomposition products:

Not expected.

# Section 11. Toxicological information

# 11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

Acute Toxicity:	Acute Toxicity - Oral Category 5
Acute Toxicity Oral	3734
Acute Toxicity Dermal	>5000
Acute Toxicity Inhalation	Not Available
Skin corrosion/irritation:	Skin Corrosion / Irritation Category 2

# LUXAROMA

# SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Angelic Whispers LUX 0753

Version: 2

Serious eye damage/irritation:	Eye Damage / Irritation Category 2	
Respiratory or skin sensitisation:	Sensitization - Skin Category 1	
Germ cell mutagenicity:	Based on available data the classification criteria are not met.	
Carcinogenicity:	Based on available data the classification criteria are not met.	
Reproductive toxicity:	Toxic to Reproduction Category 2	
STOT-single exposure:	Based on available data the classification criteria are not met.	
STOT-repeated exposure:	Based on available data the classification criteria are not met.	
Aspiration hazard:	Based on available data the classification criteria are not met.	

## Information about hazardous ingredients in the mixture

Ingredient	CAS	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
2-Methyl-3-(p- isopropylphenyl) propionaldehyde	103-95-7	3810	Not available	Not available	Not available
3,7-Dimethyl-1,6- nonadien-3-ol	10339-55-6	5000	Not available	Not available	Not available
Benzyl acetate	140-11-4	2490	Not available	Not available	Not available
Benzyl benzoate	120-51-4	1500	4000	Not available	Not available
Benzyl salicylate	118-58-1	2200	Not available	Not available	Not available
Dihydromyrcenol	18479-58-8	3600	Not available	Not available	Not available
Linalool	78-70-6	2790	Not available	Not available	Not available
Phenethyl alcohol	60-12-8	1610	2500	Not available	Not available
alpha-Methyl-1,3- benzodioxole-5- propionaldehyde	1205-17-0	3562	Not available	Not available	Not available
p-t-Butyl-alpha- methylhydrocinnamic aldehyde	80-54-6	1390	Not available	Not available	Not available

Refer to Sections 2 and 3 for additional information.

# Section 12. Ecological information

# 12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability:	Not available
12.3 Bioaccumulative potential:	Not available
12.4 Mobility in soil:	Not available
12.5 Other adverse effects:	Not available



In accordance with UN GHS latest edition

Product: Angelic Whispers LUX 0753

Version: 2

## Section 13. Disposal considerations

# 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### Section 14. Transport information

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class(es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8- hexamethylcyclopenta-gamma-2- benzopyran, 1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8-tetramethyl-2- naphthalenyl)ethanone)	9	-	111
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8- hexamethylcyclopenta-gamma-2- benzopyran, 1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8-tetramethyl-2- naphthalenyl)ethanone) MARINE POLLUTANT	9	-	111
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8- hexamethylcyclopenta-gamma-2- benzopyran, 1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8-tetramethyl-2- naphthalenyl)ethanone)	9	-	111
ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8- hexamethylcyclopenta-gamma-2- benzopyran, 1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8-tetramethyl-2- naphthalenyl)ethanone)	9	-	

#### 14.5 Environmental hazards:

This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code.

#### 14.6 Special precautions for user:

None additional

**14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable



In accordance with UN GHS latest edition

Product: Angelic Whispers LUX 0753

Version: 2

## Section 15. Regulatory information

None additional

#### Section 16. Other information

**Concentration % Limits:** 

EH A2=14.75% EH A3=1.45% EH C2=19.96% EH C3=1.95% EH C4=45. 64% SCI 2=25.79% SCI 3=2.32% EDI 2A=37.65% SS 1=6.24% REP 2=18.73% EH A2=6.78 EH A3=69.17 EH C2=5.01 EH C3=51.36 EH C4=2.19 SCI

2=3.88 SCI 3=43.08 EDI 2A=2.66 SS 1=16.02 REP 2=5.34

**Total Fractional Values:** 

Key to revisions:

GHS Workplace Exposure Limits

Hazardous Ingredients declard in a GHS Product Identifier Information about hazardous ingredients in the mixture

SECTION 3: Composition/information on ingredients

#### Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 5	Acute Toxicity - Oral Category 5
Acute Tox. 5	Acute Toxicity - Dermal Category 5
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Eye Irrit. 2A	Eye Damage / Irritation Category 2A
Eye Irrit. 2B	Eye Damage / Irritation Category 2B
Flam. Liq. 4	Flammable Liquid, Hazard Category 4
H227	Combustible liquid.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H320	Causes eye irritation.
H361	Suspected of damaging fertility or the unborn child (exposure route).
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life.



Page 10 (10) Issue date: 29/11/2022 Version: 2 (29/11/2022)

# SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Angelic Whispers LUX 0753

2

#### Version:

Harmful to aquatic life.
Very toxic to aquatic life with long lasting effects.
Toxic to aquatic life with long lasting effects.
Harmful to aquatic life with long lasting effects.
Do not handle until all safety precautions have been read and understood.
Keep away from heat, sparks, open flames and hot surfaces No smoking.
Avoid breathing vapour or dust.
Wash hands and other contacted skin thoroughly after handling.
Do not eat, drink or smoke when using this product.
Contaminated work clothing should not be allowed out of the workplace.
Avoid release to the environment.
Wear protective gloves/eye protection/face protection.
IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
IF ON SKIN: Wash with plenty of soap and water.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF exposed or concerned: Get medical advice/attention.
Call a POISON CENTRE or doctor/physician if you feel unwell.
Rinse mouth.
If skin irritation occurs: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash before reuse.
Wash contaminated clothing before reuse.
In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
Collect spillage.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container to approved disposal site, in accordance with local regulations.
Toxic to Reproduction Category 2
Skin Corrosion / Irritation Category 2
Skin Corrosion / Irritation Category 3
Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.