

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Kalacha Beachside LUX 1402

Version: 1

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: Kalacha Beachside LUX 1402(Contains:Allyl (3-methylbutoxy)acetate, Allyl heptanoate, Geranyl Acetate, alpha,alpha-Dimethyl-p-ethylphenylpropanal)

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: Luxaroma Pty Ltd

Company address: 27 Union Circuit
Yatala
QLD 4207
Australia

Contact: Regulatory Affairs

E-Mail address: info@luxaroma.com.au

Company phone: 1300 888 360

1.4 Emergency telephone number

Emergency phone: 1300 888 360

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Class and category of danger: Flammable Liquid, Hazard Category 4
Acute Toxicity - Oral Category 5
Acute Toxicity - Inhalation Category 3
Skin Corrosion / Irritation Category 2
Eye Damage / Irritation Category 2
Sensitization - Skin Category 1
Hazardous to the Aquatic Environment - Acute Hazard Category 2
Hazardous to the Aquatic Environment - Long-term Hazard Category 2
H227, Combustible liquid.
H303, May be harmful if swallowed.
H315, Causes skin irritation.
H317, May cause an allergic skin reaction.
H319, Causes serious eye irritation.
H331, Toxic if inhaled.
H411, Toxic to aquatic life with long lasting effects.

2.2 Label elements

Signal word: Danger

SAFETY DATA SHEET

In accordance with UN GHS latest edition


Product: Kalacha Beachside LUX 1402

Version: 1

Hazard statements: H227, Combustible liquid.
H303, May be harmful if swallowed.
H315, Causes skin irritation.
H317, May cause an allergic skin reaction.
H319, Causes serious eye irritation.
H331, Toxic if inhaled.
H411, Toxic to aquatic life with long lasting effects.

Precautionary statements: P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P261, Avoid breathing vapour or dust.
P264, Wash hands and other contacted skin thoroughly after handling.
P271, Use only outdoors or in a well-ventilated area.
P272, Contaminated work clothing should not be allowed out of the workplace.
P273, Avoid release to the environment.
P280, Wear protective gloves/eye protection/face protection.
P302/352, IF ON SKIN: Wash with plenty of soap and water.
P304/340, IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P311, Call a POISON CENTRE or doctor/physician.
P333/313, If skin irritation or rash occurs: Get medical advice/attention.
P337/313, If eye irritation persists: Get medical advice/attention.
P362, Take off contaminated clothing and wash before reuse.
P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391, Collect spillage.
P403/235, Store in a well-ventilated place. Keep cool.
P405, Store locked up.
P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

Pictograms:



2.3 Other hazards

Other hazards: None

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Kalacha Beachside LUX 1402

Version: 1

Name	CAS	%	GHS Classification
Methyl dihydrojasmonate	24851-98-7	10-<20%	Aquatic Acute 3;H402
Acetoxycyclopentadiene (Mixture of Isomers)	54830-99-8	5-<10%	Acute Tox. 5-Skin Irrit. 3-Aquatic Acute 3;H303-H316-H402
Phenethyl alcohol	60-12-8	5-<10%	Acute Tox. 4-Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2A; H302-H313-H316-H319
Dihydromyrcenol	18479-58-8	5-<10%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Aquatic Acute 3;H227-H303-H315-H319-H402
gamma-Undecalactone	104-67-6	5-<10%	Skin Irrit. 3-Aquatic Acute 3-Aquatic Chronic 3;H316-H412
Isobornyl acetate	125-12-2	5-<10%	Flam. Liq. 4-Skin Irrit. 3-Aquatic Acute 2;H227-H316-H401
Isoamyl salicylate	87-20-7	1-<5%	Acute Tox. 4-Aquatic Acute 2-Aquatic Chronic 2;H302-H411
Geranyl Acetate	105-87-3, 141-12-8	1-<5%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 3;H315-H317-H401-H412
Benzyl acetate	140-11-4	1-<5%	Acute Tox. 5-Aquatic Acute 2-Aquatic Chronic 3;H303-H401-H412
2-tert-Butylcyclohexyl acetate	88-41-5	1-<5%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 3-Aquatic Acute 2-Aquatic Chronic 2;H227-H303-H316-H411
alpha, alpha-Dimethyl-p-ethylphenylpropanal	67634-15-5	1-<5%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2;H315-H317-H400-H411
alpha-Terpineol	98-55-5	1-<5%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Aquatic Acute 2;H227-H303-H315-H319-H401
Acetyl cedrene	32388-55-9	1-<5%	Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H303-H317-H410
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone	54464-57-2	1-<5%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 1;H315-H317-H401-H410
alpha-Methylbenzyl acetate	93-92-5	1-<5%	Flam. Liq. 4-Aquatic Acute 3;H227-H402
4-tert-Butylcyclohexyl acetate	32210-23-4	1-<5%	Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 2;H303-H317-H401
2-Methyl-3-(p-isopropylphenyl) propionaldehyde	103-95-7	1-<5%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 3;H227-H303-H315-H317-H401-H412
laevo-Bornyl acetate	5655-61-8	1-<5%	Skin Irrit. 3-Aquatic Acute 2;H316-H401
alpha-Methyl-1,3-benzodioxole-5-propionaldehyde	1205-17-0	1-<5%	Acute Tox. 5-Skin Sens. 1B-Repr. 2-Aquatic Acute 2-Aquatic Chronic 2;H303-H317-H361-H411
Allyl heptanoate	142-19-8	1-<5%	Flam. Liq. 4-Acute Tox. 3-Acute Tox. 3-Aquatic Acute 1-Aquatic Chronic 3;H227-H301-H311-H400-H412
alpha-Methylcinnamaldehyde	101-39-3	1-<5%	Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 2;H303-H317-H401
Camphene	79-92-5	1-<5%	Flam. Liq. 3-Flam. Sol. 2-Eye Irrit. 2B-Aquatic Acute 1-Aquatic Chronic 1;H226-H228-H320-H410
2,6,10-Trimethyl-9-undecenal	141-13-9	0.1-<1%	Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1; H317-H410
alpha-Pinene	80-56-8	0.1-<1%	Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226-H302-H304-H315-H317-H410
Allyl hexanoate	123-68-2	0.1-<1%	Flam. Liq. 4-Acute Tox. 3-Acute Tox. 3-Acute Tox. 3-Aquatic Acute 1-Aquatic Chronic 3;H227-H301-H311-H331-H400-H412
483-NL Mousse de Metra	4707-47-5	0.1-<1%	Skin Sens. 1B-Aquatic Acute 2;H317-H401
197-NL Camphor Powder	464-49-3	0.1-<1%	Flam. Liq. 4-Flam. Sol. 2-Acute Tox. 4-Acute Tox. 4-Skin Irrit. 2-Eye Dam. 1-STOT SE 2-Aquatic Acute 2-Aquatic Chronic 2;H227-H228-H302-H315-H318-H332-H371-H411
499-NL Nerolin Bromelia	93-18-5	0.1-<1%	Acute Tox. 5-Skin Irrit. 2-Aquatic Acute 2-Aquatic Chronic 2;H303-H315-H411

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Kalacha Beachside LUX 1402

Version: 1

2,6-Dimethyl-5-heptenal	106-72-9	0.1-<1%	Flam. Liq. 4-Skin Sens. 1B-Aquatic Acute 2;H227-H317-H401
Allyl (3-methylbutoxy)acetate	67634-00-8	0.1-<1%	Flam. Liq. 4-Acute Tox. 4-Acute Tox. 1-Skin Irrit. 2-Eye Irrit. 2A-STOT SE 3-Aquatic Acute 2;H227-H302-H315-H319-H330-H335-H401
delta-3-Carene	13466-78-9	0.1-<1%	Flam. Liq. 3-Acute Tox. 5-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1; H226-H303-H304-H315-H317-H332-H410
alpha-Cedrene	469-61-4	0.1-<1%	Skin Irrit. 3-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H304-H316-H410
Eucalyptol	470-82-6	0.1-<1%	Flam. Liq. 3-Acute Tox. 5-Skin Irrit. 3-Skin Sens. 1B; H226-H303-H316-H317
2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde	68039-49-6	0.1-<1%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H227-H303-H315-H317-H319-H411
Isocyclocitral	1335-66-6	0.1-<1%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 3;H227-H303-H315-H317-H319-H401-H412
3-Phenyl-1-propanol	122-97-4	0.1-<1%	Acute Tox. 5-Acute Tox. 5-Skin Corr. 1B-Eye Dam. 1-Aquatic Acute 3;H303-H313-H314-H402
l-Limonene	5989-54-8	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315-H317-H410
Methyl 2-nonenoate	111-79-5	0.1-<1%	Flam. Liq. 4-Aquatic Acute 1-Aquatic Chronic 2;H227-H400-H411
Tetrahydro-4-methyl-2-(2-methylpropen-1-yl)pyran	16409-43-1	0.1-<1%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Repr. 2-Aquatic Acute 3;H227-H303-H315-H319-H361-H402
382-NL Indolarome	18096-62-3	0.1-<1%	Acute Tox. 5-Repr. 2;H303-H361
delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one	57378-68-4	0.1-<1%	Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1A-Aquatic Acute 1-Aquatic Chronic 1;H302-H315-H317-H410
2,6-Dimethyl-2-heptanol	13254-34-7	0.1-<1%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2A-Aquatic Acute 3; H227-H315-H319-H402
beta-Cedrene	546-28-1	0.1-<1%	Skin Irrit. 3-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H304-H316-H410
beta-Pinene	127-91-3	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315-H317-H410
187-NL Borneol Crystals	507-70-0	0.1-<1%	Flam. Sol. 1-Acute Tox. 5-Skin Irrit. 2-Aquatic Acute 2-Aquatic Chronic 2;H228-H303-H315-H411

Substances with workplace exposure limits, not listed above:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Eye exposure: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water.

Ingestion: Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

May be harmful if swallowed.

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Kalacha Beachside LUX 1402

Version: 1

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

Toxic if inhaled.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Kalacha Beachside LUX 1402

Version: 1

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	Not determined
Odour:	Not determined
Odour threshold:	Not determined
pH:	Not determined
Melting point / freezing point:	Not determined
Initial boiling point / range:	Not determined
Flash point:	> 70 °C
Evaporation rate:	Not determined
Flammability (solid, gas):	Not determined
Upper/lower flammability or explosive limits:	Product does not present an explosion hazard
Vapour pressure:	Not determined
Vapour density:	Not determined
Relative density:	Not determined
Solubility(ies):	Not determined
Partition coefficient: n-octanol/water:	Not determined
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Viscosity:	Not determined

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Kalacha Beachside LUX 1402

Version: 1

Explosive properties: Not expected

Oxidising properties: Not expected

9.2 Other information: None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

Acute Toxicity:	Acute Toxicity - Oral Category 5 Acute Toxicity - Inhalation Category 3
Acute Toxicity Oral	3762
Acute Toxicity Dermal	>5000
Acute Toxicity Inhalation	9.62
Skin corrosion/irritation:	Skin Corrosion / Irritation Category 2
Serious eye damage/irritation:	Eye Damage / Irritation Category 2
Respiratory or skin sensitisation:	Sensitization - Skin Category 1
Germ cell mutagenicity:	Based on available data the classification criteria are not met.
Carcinogenicity:	Based on available data the classification criteria are not met.
Reproductive toxicity:	Based on available data the classification criteria are not met.
STOT-single exposure:	Based on available data the classification criteria are not met.
STOT-repeated exposure:	Based on available data the classification criteria are not met.
Aspiration hazard:	Based on available data the classification criteria are not met.

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Kalacha Beachside LUX 1402

Version: 1

Information about hazardous ingredients in the mixture

Ingredient	CAS	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
2-Methyl-3-(p-isopropylphenyl) propionaldehyde	103-95-7	3810	Not available	Not available	Not available
2-tert-Butylcyclohexyl acetate	88-41-5	4600	Not available	Not available	Not available
4-tert-Butylcyclohexyl acetate	32210-23-4	3370	Not available	Not available	Not available
Acetoxidyhydrodicyclopentadiene (Mixture of Isomers)	54830-99-8	3050	Not available	Not available	Not available
Acetyl cedrene	32388-55-9	4500	Not available	Not available	Not available
Allyl (3-methylbutoxy) acetate	67634-00-8	730	Not available	0.05	Not available
Allyl heptanoate	142-19-8	218	810	Not available	Vapour
Allyl hexanoate	123-68-2	300	300	3	Vapour
Benzyl acetate	140-11-4	2490	Not available	Not available	Not available
Dihydromyrcenol	18479-58-8	3600	Not available	Not available	Not available
Isoamyl salicylate	87-20-7	1406	Not available	Not available	Not available
Phenethyl alcohol	60-12-8	1610	2500	Not available	Not available
alpha-Methyl-1,3-benzodioxole-5-propionaldehyde	1205-17-0	3562	Not available	Not available	Not available
alpha-Methylcinnamaldehyde	101-39-3	2050	Not available	Not available	Not available
alpha-Terpineol	98-55-5	4300	Not available	Not available	Not available

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available

12.3 Bioaccumulative potential: Not available

12.4 Mobility in soil: Not available

12.5 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Kalacha Beachside LUX 1402

Version: 1

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class(es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	UN2810	TOXIC LIQUID, ORGANIC, N.O.S. (Allyl heptanoate, Phenethyl alcohol)	6.1	-	III
IMDG	UN2810	TOXIC LIQUID, ORGANIC, N.O.S. (Allyl heptanoate, Phenethyl alcohol, alpha-Cedrene) MARINE POLLUTANT	6.1	-	III
ADR,RID,ADN	UN2810	TOXIC LIQUID, ORGANIC, N.O.S. (Allyl heptanoate, Phenethyl alcohol)	6.1	-	III
ICAO TI	UN2810	TOXIC LIQUID, ORGANIC, N.O.S. (Allyl heptanoate, Phenethyl alcohol)	6.1	-	III

14.5 Environmental hazards: This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code.

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information

None additional

Section 16. Other information

Concentration % Limits: EH A2=11.72% EH A3=1.15% EH C2=15.44% EH C3=1.53% EH C4=54.48% SCI 2=38.87% SCI 3=2.93% EDI 2A=34.58% SS 1=21.79%

Total Fractional Values: EH A2=8.53 EH A3=86.72 EH C2=6.48 EH C3=65.48 EH C4=1.84 SCI 2=2.57 SCI 3=34.15 EDI 2A=2.89 SS 1=4.59

Key to revisions:

Not applicable

Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 1	Acute Toxicity - Inhalation Category 1
Acute Tox. 3	Acute Toxicity - Oral Category 3
Acute Tox. 3	Acute Toxicity - Dermal Category 3
Acute Tox. 3	Acute Toxicity - Inhalation Category 3

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Kalacha Beachside LUX 1402

Version: 1

Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 4	Acute Toxicity - Inhalation Category 4
Acute Tox. 5	Acute Toxicity - Oral Category 5
Acute Tox. 5	Acute Toxicity - Dermal Category 5
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Asp. Tox 1	Aspiration Hazard Category 1
Eye Dam. 1	Eye Damage / Irritation Category 1
Eye Irrit. 2A	Eye Damage / Irritation Category 2A
Eye Irrit. 2B	Eye Damage / Irritation Category 2B
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
Flam. Liq. 4	Flammable Liquid, Hazard Category 4
Flam. Sol. 1	Flammable Solid, Hazard Category 1
Flam. Sol. 2	Flammable Solid, Hazard Category 2
H226	Flammable liquid and vapour.
H227	Combustible liquid.
H228	Flammable solid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H313	May be harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H320	Causes eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H361	Suspected of damaging fertility or the unborn child (exposure route).
H371	May cause damage to organs (organs, exposure route).
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life.

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Kalacha Beachside LUX 1402

Version: 1

H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe vapour or dust.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P281	Use personal protective equipment as required.
P284	Wear respiratory protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P301/330/331	If swallowed: Rinse mouth. Do not induce vomiting.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308/313	IF exposed or concerned: Get medical advice/attention.
P309/311	IF exposed or if you feel unwell: Call a POISON CENTRE or doctor/physician.
P310	Immediately call a POISON CENTER or doctor/physician.
P311	Call a POISON CENTRE or doctor/physician.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P361	Remove/Take off immediately all contaminated clothing.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Kalacha Beachside LUX 1402

Version: 1

P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/233/235	Store in a well-ventilated place. Keep container tightly closed. Keep cool.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
Repr. 2	Toxic to Reproduction Category 2
STOT SE 2	Specific Target Organ Toxicity (Single Exposure) Category 2
STOT SE 3	Specific Target Organ Toxicity (Single Exposure) Category 3
Skin Corr. 1B	Skin Corrosion / Irritation Category 1B
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Irrit. 3	Skin Corrosion / Irritation Category 3
Skin Sens. 1	Sensitization - Skin Category 1
Skin Sens. 1A	Sensitization - Skin Category 1A
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.