



Version: 1 (10/08/2023)

SAFETY DATA SHEET

In accordance with GB REACH UK SI 2020 No. 1577

Product: Virtue LUX 1531

Version: 1

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: Virtue LUX 1531(Contains:177-NL Benzyl salicylate, Iso E super, Linalool, Linalyl acetate)

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: Luxaroma Pty Ltd Company address: 27 Union Circuit

> Yatala QLD 4207 Australia

Contact: Regulatory Affairs

E-Mail address: info@luxaroma.com.au

Company phone: 1300 888 360

1.4 Emergency telephone number

Emergency phone: 1300 888 360

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under GB GHS UK SI 2020 No. 1567

Class and category of Skin Corrosion / Irritation Category 2 danger: Eye Damage / Irritation Category 2

Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Long-term Hazard Category 1

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H410, Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Classification under GB GHS UK SI 2020 No. 1567

Signal word: Warning

Hazard statements: H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

Page 2 (11)

LUXAROMA

Issue date: 10/08/2023

Version: 1 (10/08/2023)

SAFETY DATA SHEET

In accordance with GB REACH UK SI 2020 No. 1577

Product: Virtue LUX 1531

Version: 1

H319, Causes serious eye irritation.

H410, Very toxic to aquatic life with long lasting effects.

Supplemental Information:

EUH208, Contains 138-NL Alpha-Pinene, 2-Methyl-3-(p-isopropylphenyl)propionaldehyde, Formaldehyde cyclododecyl ethyl acetal, Geraniol, Helional, alpha-Hexylcinnamaldehyde, beta-Pinene, d-Limonene, p-tert-Butyldihydrocinnamaldehyde. May produce an allergic reaction.

Precautionary statements:

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333/313. If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention. P362, Take off contaminated clothing and wash before reuse.

P391, Collect spillage.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.





Pictograms:

2.3 Other hazards

Other hazards: Sensitisers declared on a CLP

Hazard Label:

138-NL Alpha-Pinene, 2-Methyl-3-(p-isopropylphenyl) propionaldehyde, Formaldehyde cyclododecyl ethyl acetal,

Geraniol, Helional, alpha-Hexylcinnamaldehyde, beta-Pinene,

d-Limonene, p-tert-Butyldihydrocinnamaldehyde

Hydrocarbon Concentration %: 3.5897%

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Registration No. 2020 No. 156	Name	CAS	EC	GB REACH Registration No.	%	GB GHS UK SI 2020 No. 1567
-------------------------------	------	-----	----	------------------------------	---	-------------------------------



Page 3 (11)

Issue date: 10/08/2023 Version: 1 (10/08/2023)

SAFETY DATA SHEET

In accordance with GB REACH UK SI 2020 No. 1577

Product: Virtue LUX 1531

Version: 1

Iso E super	54464-57-2	259-174-3	20-<50%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Chronic 1; H315-H317-H410,-	
Linalool	78-70-6	201-134-4	5-<10%	Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1B;H315- H317-H319	
177-NL Benzyl salicylate	118-58-1	204-262-9	5-<10%	Skin Sens. 1B-Aquatic Chronic 3;H317-H412,-	
3,7-Dimethyl-1,6- nonadien-3-ol	10339-55-6	233-732-6	1-<5%	Skin Irrit. 2-Eye Irrit. 2; H315-H319,-	
Linalyl acetate	115-95-7	204-116-4	1-<5%	Skin Irrit. 2-Skin Sens. 1B;H315-H317,-	
d-Limonene	5989-27-5	227-813-5	1-<5%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 1; H226-H304-H315- H317-H410,- Skin Irrit. 2-Eye Dam.	
Geraniol	106-24-1	203-377-1	1-<5%	Skin Irrit. 2-Eye Dam. 1-Skin Sens. 1B;H315- H317-H318,-	
alpha- Hexylcinnamaldehyde	101-86-0	202-983-3	1-<5%	Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2;H317-H400- H411,-	
Formaldehyde cyclododecyl ethyl acetal	58567-11-6	261-332-1	1-<5%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Chronic 2; H315-H317-H411,-	
2-Ethyl-4-(2,2,3- trimethyl-3-cyclopenten- 1-yl)-2-buten-1-ol	28219-61-6	248-908-8	1-<5%	Eye Irrit. 2-Aquatic Chronic 2;H319-H411,-	
Helional	1205-17-0	214-881-6	1-<5%	Skin Sens. 1B-Repr. 2- Aquatic Chronic 2; H317-H361-H411,-	
2-tert-Butylcyclohexyl acetate	88-41-5	201-828-7	1-<5%	Aquatic Chronic 2; H411	
125-NL Aldehyde C-14	104-67-6	203-225-4	1-<5%	Aquatic Chronic 3; H412,-	
beta-Pinene	127-91-3	204-872-5	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 1; H226-H304-H315- H317-H410,-	
p-Mentha-1,4-diene	99-85-4	202-794-6	0.1-<1%	Flam. Liq. 3-Repr. 2- Asp. Tox 1;H226-H304- H361,-	
1-Methyl-4-(4-methyl-3- pentenyl)cyclohex-3- ene-1-carbaldehyde	52475-86-2	257-942-2	0.1-<1%	Aquatic Acute 1- Aquatic Chronic 1; H410,-	
p-tert- Butyldihydrocinnamalde hyde	18127-01-0	242-016-2	0.1-<1%	Skin Irrit. 2-Skin Sens. 1B-Repr. 2-STOT RE 2-Aquatic Chronic 3; H315-H317-H361- H373-H412	
195-NL Calone	28940-11-6	249-320-4	0.1-<1%	Skin Corr. 1B-Eye Dam. 1-STOT SE 3; H314-H336,-	
132-NL Allyl hexanoate	123-68-2	204-642-4	0.1-<1%	Acute Tox. 3-Acute Tox. 3-Acute Tox. 3- Aquatic Acute 1- Aquatic Chronic 3; H301-H311-H331- H400-H412,-	
134-NL Allyl heptanoate	142-19-8	205-527-1	0.1-<1%	Acute Tox. 3-Acute Tox. 3-Aquatic Acute 1- Aquatic Chronic 3; H301-H311-H400- H412,-	





Version: 1 (10/08/2023)

SAFETY DATA SHEET

In accordance with GB REACH UK SI 2020 No. 1577

Product: Virtue LUX 1531

Version: 1

2-Methyl-3-(p- isopropylphenyl) propionaldehyde	103-95-7	203-161-7	0.1-<1%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Chronic 3; H315-H317-H412,-
138-NL Alpha-Pinene	80-56-8	201-291-9	0.1-<1%	Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Chronic 1; H226-H302-H304- H315-H317-H410
alpha-Cedrene	469-61-4	207-418-4	<0.1%	Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H304-H410,-

GB workplace exposure limits:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water. **Ingestion:** Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.





Version: 1 (10/08/2023)

SAFETY DATA SHEET

In accordance with GB REACH UK SI 2020 No. 1577

Product: Virtue LUX 1531

Version: 1

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection





Version: 1 (10/08/2023)

SAFETY DATA SHEET

In accordance with GB REACH UK SI 2020 No. 1577

Product: Virtue LUX 1531

Version: 1

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:

Odour:

Not determined

Odour threshold:

PH:

Not determined

Flash point: > 85 °C

Evaporation rate: Not determined **Flammability (solid, gas):** Not determined

Upper/lower flammability or explosive limits: Product does not present an explosion hazard

Vapour pressure: Not determined Vapour density: Not determined Relative density: Not determined Solubility(ies): Not determined Partition coefficient: n-octanol/water: Not determined Not determined **Auto-ignition temperature: Decomposition temperature:** Not determined Viscosity: Not determined **Explosive properties:** Not expected Oxidising properties: Not expected

9.2 Other information: None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.





Issue date: 10/08/2023 Version: 1 (10/08/2023)

SAFETY DATA SHEET

In accordance with GB REACH UK SI 2020 No. 1577

Product: Virtue LUX 1531

Version: 1

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in GB GHS UK SI 2020 No. 1567.

Acute Toxicity:Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000 Acute Toxicity Dermal >5000

Acute Toxicity Inhalation Not Available

Skin corrosion/irritation:Skin Corrosion / Irritation Category 2Serious eye damage/irritation:Eye Damage / Irritation Category 2Respiratory or skin sensitisation:Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
132-NL Allyl hexanoate	123-68-2	204-642-4	300	300	3	Vapour
134-NL Allyl heptanoate	142-19-8	205-527-1	218	810	Not available	Vapour

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available





Version: 1 (10/08/2023)

SAFETY DATA SHEET

In accordance with GB REACH UK SI 2020 No. 1577

Product: Virtue LUX 1531

Version: 1

12.3 Bioaccumulative potential: Not available 12.4 Mobility in soil: Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of GB REACH UK SI 2020 No. 1577.

12.6 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E super, d-Limonene)	9	-	III
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E super, d-Limonene) MARINE POLLUTANT	9	-	III
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E super, d-Limonene)	9	-	III
ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E super, d-Limonene)	9	-	III

14.5 Environmental hazards: This is classified as an environmentally hazardous substance under the UN

Model Regulations. This is classified as a Marine Pollutant under the IMDG

Code.

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information



Version: 1 (10/08/2023)

SAFETY DATA SHEET

In accordance with GB REACH UK SI 2020 No. 1577

Product: Virtue LUX 1531

Version: 1

Concentration % Limits: SCI 2=15.48% EDI 2=22.10% SS 1=2.71% EH C1(GB)=59.95% EH C2

(GB)=5.87% EH C3(GB)=0.58617334% EH C4(GB)=42.67%

Total Fractional Values: SCI 2=6.46 EDI 2=4.53 SS 1=36.90 EH C1(GB)=1.67 EH C2(GB)=17.03

EH C3(GB)=170.60 EH C4(GB)=2.34

Key to revisions:

Not applicable

Key to abbreviations:

Abbreviation	Meaning		
Acute Tox. 3	Acute Toxicity - Oral Category 3		
Acute Tox. 3	Acute Toxicity - Dermal Category 3		
Acute Tox. 3	Acute Toxicity - Inhalation Category 3		
Acute Tox. 4	Acute Toxicity - Oral Category 4		
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1		
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1		
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2		
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3		
Asp. Tox 1	Aspiration Hazard Category 1		
Eye Dam. 1	Eye Damage / Irritation Category 1		
Eye Irrit. 2	Eye Damage / Irritation Category 2		
Flam. Liq. 3	Flammable Liquid, Hazard Category 3		
H226	Flammable liquid and vapour.		
H301	Toxic if swallowed.		
H302	Harmful if swallowed.		
H304	May be fatal if swallowed and enters airways.		
H311	Toxic in contact with skin.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H331	Toxic if inhaled.		
H336	May cause drowsiness or dizziness.		
H361	Suspected of damaging fertility or the unborn child (exposure route).		
H373	May cause damage to organs (organs) through prolonged or repeated exposure (exposure route).		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
P202	Do not handle until all safety precautions have been read and understood.		
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.		
P233	Keep container tightly closed.		



Version: 1 (10/08/2023)

SAFETY DATA SHEET

In accordance with GB REACH UK SI 2020 No. 1577

Product: Virtue LUX 1531

Version: 1

P240	Ground/bond container and receiving equipment.		
P241	Use explosion-proof electrical, ventilating and lighting equipment.		
P242	Use only non-sparking tools.		
P243	Take precautionary measures against static discharge.		
P260	Do not breathe vapour or dust.		
P261	Avoid breathing vapour or dust.		
P264	Wash hands and other contacted skin thoroughly after handling.		
P270	Do not eat, drink or smoke when using this product.		
P271	Use only outdoors or in a well-ventilated area.		
P272	Contaminated work clothing should not be allowed out of the workplace.		
P273	Avoid release to the environment.		
P280	Wear protective gloves/eye protection/face protection.		
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.		
P301/330/331	If swallowed: Rinse mouth. Do not induce vomiting.		
P302/352	IF ON SKIN: Wash with plenty of soap and water.		
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.		
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.		
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P308/313	IF exposed or concerned: Get medical advice/attention.		
P310	Immediately call a POISON CENTER or doctor/physician.		
P311	Call a POISON CENTRE or doctor/physician.		
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.		
P330	Rinse mouth.		
P331	Do not induce vomiting.		
P332/313	If skin irritation occurs: Get medical advice/attention.		
P333/313	If skin irritation or rash occurs: Get medical advice/attention.		
P337/313	If eye irritation persists: Get medical advice/attention.		
P361	Remove/Take off immediately all contaminated clothing.		
P362	Take off contaminated clothing and wash before reuse.		
P363	Wash contaminated clothing before reuse.		
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.		
P391	Collect spillage.		
P403/233	Store in a well-ventilated place. Keep container tightly closed.		
P403/235	Store in a well-ventilated place. Keep cool.		
P405	Store locked up.		
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.		
Repr. 2	Toxic to Reproduction Category 2		
STOT RE 2	Specific Target Organ Toxicity (Repeated Exposure) Category 2		
STOT SE 3	Specific Target Organ Toxicity (Single Exposure) Category 3		
Skin Corr. 1B	Skin Corrosion / Irritation Category 1B		
Skin Irrit. 2	Skin Corrosion / Irritation Category 2		
Skin Sens. 1B	Sensitization - Skin Category 1B		



Page 11 (11)
Issue date: 10/08/2023

Version: 1 (10/08/2023)

SAFETY DATA SHEET

In accordance with GB REACH UK SI 2020 No. 1577

Product: Virtue LUX 1531

Version: 1

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.